

# Dimensionality Reduction 2 — Rectangle-Point Containment


Yufei Tao

CSE Dept  
Chinese University of Hong Kong

## Problem

Let  $R$  be a set of axis-parallel rectangles and  $P$  be a set of points, all in  $\mathbb{R}^d$ , where  $d$  is a fixed constant. We want to report all pairs  $(r, p) \in R \times P$  such that  $r$  contains  $p$ .


A 2D example



We will show how to solve the problem in  $O(n \text{ polylog } n + k)$  where  $n = |R| + |P|$  and  $k$  is the number of pairs reported.

1D

When  $d = 1$ ,  $R$  is a set of intervals and  $P$  a set of points, both in  $\mathbb{R}$ .




It is easy to settle the problem in  $O(n \log n + k)$  time.

## 2D

Every rectangle in  $R$  defines at most two x-coordinates, and each point in  $P$  defines one x-coordinate.

Call those coordinates the **input x-coordinates**.



Input x-coordinates: 1, 2, ..., 16.


2D

A left-open or right-open rectangle defines only one input x-coordinate.




2D

Divide the input x-coordinates in half with a vertical line  $\ell$ .




2D

The line  $\ell$  creates two sub-problems.



Note that each sub-problem can contain left-open or right-open rectangles. **No** new input x-coordinates are created.

Divide the right sub-problem into two sub-sub-problems:




**Issue:** In the first sub-sub-problem,  $r_2$  and  $r_3$  define no input x-coordinates. Thus, we **cannot** solve the sub-sub-problem recursively (think: why).



2D

Dealing with the issue: solve a 1D instance of the problem on the y-dimension and get rid of such rectangles.



## The 2D Algorithm

1. Let  $R_{span}$  be the set of rectangles that do not define input x-coordinates (they span the current data space in x-dimension).
2. Solve a 1D instance on  $R'$  and  $P'$  where  $R'$  and  $P'$  are obtained by projecting  $R_{span}$  and  $P$  onto the y-axis, respectively.
3. Divide the input x-coordinates equally with a vertical line  $\ell$ .
4. Let  $R_1$  (or  $R_2$ ) be the set of rectangles in  $R$  that intersect with the left (or right, resp.) side of  $\ell$ . Let  $P_1$  (or  $P_2$ ) be the set of points in  $P$  that fall on the left (or right, resp.) side of  $\ell$ .
5. Solve the left sub-problem with inputs  $R_1, P_1$  and the right sub-problem with inputs  $R_2, P_2$ .

## 2D Analysis

Let  $f(m)$  be the running time of our algorithm when there are  $m$  input x-coordinates.

$$f(m) \leq 2 \cdot f(m/2) + g(m)$$

where  $g(m)$  is the cost of solving a 1D instance of size  $m$ .

We know that  $g(m) = O(m \log m + k')$  (where  $k'$  is the number of pairs reported by the 1D instance). Solving the recurrence gives  $f(m) = O(m \log^2 m + k)$ .

As  $m \leq 2n$ , we now have an algorithm of  $O(n \log^2 n + k)$  time.

**Remark:** In this week's exercises, you will be guided to improve the running time to  $O(n \log n + k)$ .

## $d$ -Dimensional

In general, we can use a  $(d - 1)$ -dimensional algorithm to solve the  $d$ -dimensional problem. It will be left as an exercise to design a  $d$ -dimensional algorithm in  $O(n \text{ polylog } n + k)$  time.