NFA to DFA conversion and regular expressions

CSCI 3130 Formal Languages and Automata Theory

Siu On CHAN Fall 2019

Chinese University of Hong Kong

DFAs and NFAs are equally powerful


NFA can do everything a DFA can do How about the other way?

Every NFA is equivalent to some DFA for the same language

$NFA \rightarrow DFA$ algorithm


Given an NFA, figure out

- 1. the initial active states
- 2. how the set of active states changes upon reading an input symbol





Initial active states (before reading any input)?

NFA → DFA example





Initial active states (before reading any input)?







Initial active states (before reading any input)?






Initial active states (before reading any input)?






Initial active states (before reading any input)?



$NFA \rightarrow DFA$ summary



Every DFA state corresponds to a subset of NFA states

A DFA state is accepting if it contains an accepting NFA state

Regular expressions

Regular expressions

Powerful string matching feature in advanced editors (e.g. Vim, Emacs) and modern programming languages (e.g. PERL, Python)

PERL regex examples:

colou?r matches "color"/"colour"

[A-Za-z]*ing matches any word ending in "ing"

We will learn to parse complicated regex recursively by building up from simpler ones

Also construct the language matched by the expression recursively

Will focus on regular expressions in formal language theory (notations differ from PERL/Python/POSIX regex)

String concatenation

$$egin{array}{lll} st = {\tt abbbab} \\ s = {\tt abb} \\ t = {\tt bab} \\ t = {\tt bab} \\ sst = {\tt abbabbbab} \\ sst = {\tt abbabbbab} \\ \end{array}$$

$$s = x_1 \dots x_n, \quad t = y_1 \dots y_m$$

$$\downarrow \downarrow$$

$$st = x_1 \dots x_n y_1 \dots y_m$$

Operations on languages

 \cdot Concatenation of languages L_1 and L_2

$$L_1L_2 = \{ st \mid s \in L_1, t \in L_2 \}$$

• n-th power of language L

$$L^{n} = \{s_{1}s_{2} \dots s_{n} \mid s_{1}, s_{2}, \dots, s_{n} \in L\}$$

• Union of L_1 and L_2

$$L_1 \cup L_2 = \{ s \mid s \in L_1 \text{ or } s \in L_2 \}$$

$$L_1 = \{0, 01\}$$
 $L_2 = \{\varepsilon, 1, 11, 111, \dots\}$

$$L_1L_2 = \{0, 01, 011, 0111, \dots\} \cup \{01, 011, 0111, 01111, \dots\}$$

= $\{0, 01, 011, 0111, \dots\}$
0 followed by any number of 1s

$$L_1^2 = \{ \text{00,001,010,0101} \} \qquad \qquad L_2^2 = L_2 \\ L_2^n = L_2 \quad \text{for any } n \geqslant 1$$

$$L_1 \cup L_2 = \{0, 01, \varepsilon, 1, 11, 111, \dots\}$$

Operations on languages

The star of ${\it L}$ are contains strings made up of zero or more chunks from ${\it L}$

$$L^* = L^0 \cup L^1 \cup L^2 \cup \dots$$

Example:
$$L_1=\{0,01\}$$
 and $L_2=\{arepsilon,1,11,111,\dots\}$ What is L_1^* ? L_2^* ?

$$L_1 = \{0, 01\}$$

```
\begin{split} L_1^0 &= \{\varepsilon\} \\ L_1^1 &= \{0,01\} \\ L_1^2 &= \{00,001,010,0101\} \\ L_1^3 &= \{000,0001,0010,00101,0100,01001,01010,010101\} \end{split}
```

00100001 Which of th

Which of the following are in L_1^* ? 00110001

10010001

$$L_1 = \{0, 01\}$$

```
L_1^0 = \{\varepsilon\} L_1^0 = \{0,01\} L_1^2 = \{00,001,010,0101\} L_1^3 = \{000,0001,0010,00101,0100,01001,01010,010101\} Which of the following are in L_1^*? 00100001 Yes No No
```

$$L_1 = \{0, 01\}$$

```
\begin{split} L_1^0 &= \{\varepsilon\} \\ L_1^1 &= \{0,01\} \\ L_1^2 &= \{00,001,010,0101\} \\ L_1^3 &= \{000,0001,0010,00101,0100,01001,01010,010101\} \end{split}
```

Which of the following are in L_1^* ? 00100001 00110001 10010001 Yes No No

 L_1^st contains all strings such that any 1 is preceded by a 0

$$L_2 = \{ arepsilon, exttt{11}, exttt{111}, \dots \}$$
 any number of 1s

$$L_{2}^{0} = \{\varepsilon\}$$

$$L_{2}^{1} = L_{2}$$

$$L_{2}^{2} = L_{2}$$

$$L_{2}^{n} = L_{2} \quad (n \geqslant 1)$$

$$L_2 = \{ arepsilon, \mathsf{11}, \mathsf{111}, \dots \}$$
 any number of 1s

$$L_{2}^{0} = \{\varepsilon\}$$

$$L_{2}^{1} = L_{2} \cup L_{2}^{1} \cup L_{2}^{2} \cup \dots$$

$$= \{\varepsilon\} \cup L_{2} \cup L_{2} \cup \dots$$

$$= L_{2}$$

$$L_{2}^{2} = L_{2}$$

$$L_{2}^{n} = L_{2} \quad (n \geqslant 1)$$

$$L_2^* = L_2$$

Combining languages

We can construct languages by starting with simple ones, like $\{0\}$ and $\{1\}$, and combining them

$$\{0\}(\{0\}\cup\{1\})^* \qquad \qquad \Rightarrow \quad 0(0+1)^* \\ \qquad \qquad \text{all strings that start with 0}$$

Combining languages

We can construct languages by starting with simple ones, like $\{0\}$ and $\{1\}$, and combining them

$$\{0\}(\{0\} \cup \{1\})^* \qquad \Rightarrow \qquad 0(0+1)^*$$
 all strings that start with 0
$$(\{0\}\{1\}^*) \cup (\{1\}\{0\}^*) \qquad \Rightarrow \qquad 01^* + 10^*$$
 0 followed by any number of 1s, or 1 followed by any number of 0s

Combining languages

We can construct languages by starting with simple ones, like $\{0\}$ and $\{1\}$, and combining them

$$\{0\}(\{0\}\cup\{1\})^* \qquad \qquad \Rightarrow \quad 0(0+1)^*$$
 all strings that start with 0

$$(\{0\}\{1\}^*) \cup (\{1\}\{0\}^*) \quad \Rightarrow \quad 01^* + 10^* \\ 0 \text{ followed by any number of 1s, or} \\ 1 \text{ followed by any number of 0s}$$

 $0(0+1)^*$ and $01^* + 10^*$ are regular expressions

Blueprints for combining simpler languages into complex ones

Regular languages

A language L over Σ is regular if it is one of the following

- $L = \emptyset$ or $\{\varepsilon\}$
- $L = \{x\}$ where x is a symbol in Σ
 - If $\Sigma = \{0,1\}$, then $\{0\}$ and $\{1\}$ are both regular over Σ
- \cdot if L_1 and L_2 are both regular, so are $L_1 \cup L_2$, L_1L_2 and L_1^*

Syntax of regular expressions

A regular expression over Σ is an expression formed by the following rules

- The symbols \varnothing and ε are regular expressions
- · Every symbol in Σ is a regular expression
 - If $\Sigma = \{0,1\}$, then 0 and 1 are both regular expressions over Σ
- · If R and S are regular expressions, so are R+S, RS and R^*

A language is regular if it is represented by a regular expression

$$\Sigma=\{0,1\}$$

$${\tt 01*=0(1)* \ represents } \{0,01,011,0111,\dots\}$$
 0 followed by any number of 1s
$${\tt 01* \ is \ not \ (01)*}$$

$$0+1$$
 yields $\{0,1\}$ strings of length 1
$$(0+1)^*$$
 yields $\{\varepsilon,0,1,00,01,10,11,\dots\}$ any string
$$(0+1)^*010$$
 any string that ends in 010
$$(0+1)^*01(0+1)^*$$
 any string containing 01

$$((0+1)(0+1))^* + ((0+1)(0+1)(0+1))^* \\$$

$$((0+1)(0+1))^* + ((0+1)(0+1)(0+1))^*$$

$$((0+1)(0+1))^*$$
 $((0+1)(0+1)(0+1))^*$

$$((0+1)(0+1))^* + ((0+1)(0+1)(0+1))^*$$

$$((0+1)(0+1))^*$$

$$((0+1)(0+1)(0+1))^*$$

$$(0+1)(0+1)$$

$$(0+1)(0+1)(0+1)$$

$$((0+1)(0+1))^* + ((0+1)(0+1)(0+1))^* \\$$

$$((0+1)(0+1))^*$$

$$((0+1)(0+1)(0+1))^*$$

$$(0+1)(0+1)$$

strings of length 2

$$(0+1)(0+1)(0+1)$$

strings of length 3

$$((0+1)(0+1))^* + ((0+1)(0+1)(0+1))^* \\$$

$$((0+1)(0+1))^*$$

strings of even length

$$(0+1)(0+1)$$

strings of length 2

$$((0+1)(0+1)(0+1))^*$$

strings whose length is a
multiple of 3

$$(0+1)(0+1)(0+1)$$

strings of length 3

What language does the following represent?

$$((0+1)(0+1))^* + ((0+1)(0+1)(0+1))^*$$

strings whose length is even or a multiple of 3

= strings of length 0, 2, 3, 4, 6, 8, 9, 10, 12, ...

$$((0+1)(0+1))^*$$

strings of even length

$$(0+1)(0+1)$$

strings of length 2

 $((0+1)(0+1)(0+1))^*$ strings whose length is a multiple of 3

$$(0+1)(0+1)(0+1)$$

strings of length 3

$$((0+1)(0+1)+(0+1)(0+1)(0+1))^*$$

$$((0+1)(0+1)+(0+1)(0+1)(0+1))^*$$

$$(0+1)(0+1) + (0+1)(0+1)(0+1)$$

$$((0+1)(0+1)+(0+1)(0+1)(0+1))^*$$

$$(0+1)(0+1) + (0+1)(0+1)(0+1)$$

$$(0+1)(0+1)$$
 $(0+1)(0+1)(0+1)$

$$((0+1)(0+1)+(0+1)(0+1)(0+1))^*$$

$$(0+1)(0+1) + (0+1)(0+1)(0+1)$$

$$(0+1)(0+1)$$

strings of length 2

$$(0+1)(0+1)(0+1)$$

strings of length 3

$$((0+1)(0+1)+(0+1)(0+1)(0+1))^*$$

$$(0+1)(0+1) + (0+1)(0+1)(0+1)$$

strings of length 2 or 3

$$(0+1)(0+1)$$
 $(0+1)(0+1)(0+1)$
strings of length 2 strings of length 3

What language does the following represent?

$$((0+1)(0+1)+(0+1)(0+1)(0+1))^*$$

strings that can be broken into blocks, where each block has length 2 or 3

$$(0+1)(0+1) + (0+1)(0+1)(0+1)$$

strings of length 2 or 3

$$(0+1)(0+1)$$
 $(0+1)(0+1)(0+1)$
strings of length 2 strings of length 3

What language does the following represent?

$$((0+1)(0+1)+(0+1)(0+1)(0+1))^*$$

strings that can be broken into blocks, where each block has length 2 or 3

Which are in the language?

ε

01

011

00110

011010110

What language does the following represent?

$$((0+1)(0+1)+(0+1)(0+1)(0+1))^*$$

strings that can be broken into blocks, where each block has length 2 or 3

Which are in the language?

 ε 1 01 011 00110 0110101101 \checkmark \checkmark \checkmark

The regular expression represents all strings except 0 and 1

$$(1+01+001)^* (\varepsilon+0+00)$$

$$(1+01+001)^*$$
 $(\varepsilon+0+00)$

What language does the following represent?

$$(1+01+001)^*$$
 $(\varepsilon+0+00)$

at most two 0s between two consecutive 1s

Never three consecutive 0s

The regular expression represents strings not containing 000

Examples:

ε

00

0111001101110

001100110

Writing regular expressions

Write a regular expression for all strings with two consecutive 0s

Writing regular expressions

Write a regular expression for all strings with two consecutive 0s

(anything)00(anything)

$$(0+1)*00(0+1)*$$