

Point-of-Interest Recommendation in Location-based Social Networks

Irwin King with Chen Cheng

Department of Computer Science and Engineering
The Chinese University of Hong Kong

king@cse.cuhk.edu.hk

<http://www.cse.cuhk.edu.hk/~king>

©2014 Irwin King. All rights reserved.


LARC

to conduct research on **behavioural** and **social network analytics** and behavioural experiments so as to discover and harness the **laws of information network evolution** for networks of **people, organisations** and **businesses**



Our Productivity Plot

How do you compare to the average worker?



<http://www.slideshare.net/RobCubbon/24343104-productivitychart>



Outline

- Introduction & motivations
- POI recommendation in LBSNs
- Successive POI recommendation
- Conclusion



www.statusthis.com

Status THIS ©2010, Andrew Jones

<http://scobleizer.com/2010/01/29/the-foursquare-squeeze-will-it-survive-to-check-in-on-2011/>

Location is a \$17B Industry


		Total	
		Revenue (\$B)	Jobs (K)
Geo-applications & devices	<ul style="list-style-type: none"> Develops and manufactures devices and software for creating, visualizing, sharing, and analyzing geographic information 	54	175
Location-based geo-data	<ul style="list-style-type: none"> Collects, manages, and distributes spatial information and imagery Provides navigational aides and other location- finding services 	17	200
		\$70.2 B	375K

<http://www.slideshare.net/Locaid/locaid-location-based-services-industry-stats-nov2013pdf>



Growth of Location-based Services

- Almost one fifth (**19%**) of the world's six billion mobile users are already using LBS
 - Navigation via maps and GPS is currently the most popular application, used by 46%
- One in five (**22%**) of LBS users are using applications designed to **help them find their friends nearby**
- **26%** use the technology to **find restaurants** and entertainment venues
- **74%** of smartphone owners use location-based services.




Source: ABI Research, 2012

POI Reco | **Figure 2.** Projected LBS services revenue by region (2011-2017)⁶




Check-in Becomes a Life Style...

"Which of these apps do you use most frequently?" (n=169)



"What is the most important benefit of these apps to you, personally?" (n=253)





Social Networks

Location

iBeacon


Indoor and Micro-location Positioning



Apps for iBeacon



Get In-Store Notifications



<http://www.ubergizmo.com/2014/02/mlb-completes-rollout-of-ibeacon-to-two-stadiums/>

<http://www.fanengagement.nl/news/social-media/apple-ruling-location-awareness-with-new-ibeacon/>

<http://www.tuaw.com/2013/12/06/apple-now-using-ibeacon-technology-in-its-us-retail-stores/>



Categories of LBSN Services

- Geo-tagged-media-based



- Point-of-interest driven



- Trajectory-centric



Chapter 8 and 9 of the book

Computing with Spatial Trajectories by Yu Zheng and Xing Xie




Location + Social Networks

- Add a new dimension to social networks
 - Geo-tagged user-generated media: texts, photos, and videos, etc.
 - Location history of users recorded
- Location is a new object in the network
- Bridging the gap between the virtual and physical worlds
 - Sharing real-world experiences online
 - Consume online information in the physical world



Physical world




Virtual world



Social sharing

Graph Illustration of Location-based Social Networks (LBSNs)



Our Focus: POI Recommendation

- Help users explore their surroundings

The screenshot shows a mobile application interface with a top navigation bar containing icons for 'Top Picks', 'Food', 'Coffee', 'Nightlife', 'Shopping', 'Arts', and 'Outdoors'. Below this is a search bar labeled 'Current Location'. The main content area displays a list of POI recommendations, including 'Sunshine City Plaza 新港城中心' and '7-Eleven'. A central map shows a city grid with various POI markers. To the right, a sidebar lists 'Interesting Locations' with user counts and photo counts. Overlaid on the right side of the screenshot is a diagram illustrating the system's architecture. It shows 'Real-time GPS for location based advertising and announcements' with satellite icons. Below this, a map shows 'Advertisement', 'Arrival Announcement', and 'Next Stop Message' markers. A 'Captive Audience' box points to a double-decker bus. At the bottom right, a device labeled 'AUDIOCONEXUS GPS Digital Video System' is shown.

POI Recommendation

- Non-personalized recommendation
 - Tree-based Hierarchical Graph + HITS [Zheng et al., WWW'09]
 - Location-feature-activity factorization [Zheng et al., WWW'10]
- Personalized recommendation
 - Model-based method: UCLAF [Zheng et al., AAI'10]
 - Item-based method: Community Location Model (CLM) [Leung et al., SIGIR'11], User+Location+Social fused model [Ye et al., SIGIR'11]



Recommendation

- From contents


Review Scores

- From collaborative filtering
 - Form user-item matrix

	v_1	v_2	v_3	v_4	v_5	v_6
u_1		5	2		3	
u_2	4			3		4
u_3			2			2
u_4	5			3		
u_5		5	5			3



Learning Techniques in Recommendation



- Collaborative filtering
 - Use user-item matrix to predict rating/ranking
 - Simple in data collection
- Content-based learning
 - Users' preference expressed in intrinsic features
 - Difficult in feature representation



Social Recommendations with Matrix Factorization

- Model-based Collaborative Filtering
 - Clustering Methods [Hkors et al, CIMCA '99]
 - Bayesian Methods [Chien et al., IWAIS '99]
 - Aspect Method [Hofmann, SIGIR '03]
 - **Matrix Factorization** [Sarwar et al., WWW '01]
- Social Recommendations
 - Social recommendation using probabilistic matrix factorization [CIKM'08]
 - Learning to recommend with social trust ensemble [SIGIR'09]
 - Recommend with social distrust [RecSys'09]
 - Website recommendation [SIGIR'11]



Matrix Factorization

	i_1	i_2	i_3	i_4	i_5	i_6	i_7	i_8
u_1	5	2		3		4		
u_2	4	3			5			
u_3	4		2				2	4
u_4								
u_5	5	1	2		4	3		
u_6	4	3		2	4		3	5

	i_1	i_2	i_3	i_4	i_5	i_6	i_7	i_8
u_1	5	2	2.5	3	4.8	4	2.2	4.8
u_2	4	3	2.4	2.9	5	4.1	2.6	4.7
u_3	4	1.7	2	3.2	3.9	3.0	2	4
u_4	4.8	2.1	2.7	2.6	4.7	3.8	2.4	4.9
u_5	5	1	2	3.4	4	3	1.5	4.6
u_6	4	3	2.9	2	4	3.4	3	5

$$U = \begin{bmatrix} 1.55 & 1.22 & 0.37 & 0.81 & 0.62 & -0.01 \\ 0.36 & 0.91 & 1.21 & 0.39 & 1.10 & 0.25 \\ 0.59 & 0.20 & 0.14 & 0.83 & 0.27 & 1.51 \\ 0.39 & 1.33 & -0.43 & 0.70 & -0.90 & 0.68 \\ 1.05 & 0.11 & 0.17 & 1.18 & 1.81 & 0.40 \end{bmatrix}$$

$$V = \begin{bmatrix} 1.00 & -0.05 & -0.24 & 0.26 & 1.28 & 0.54 & -0.31 & 0.52 \\ 0.19 & -0.86 & -0.72 & 0.05 & 0.68 & 0.02 & -0.61 & 0.70 \\ 0.49 & 0.09 & -0.05 & -0.62 & 0.12 & 0.08 & 0.02 & 1.60 \\ -0.40 & 0.70 & 0.27 & -0.27 & 0.99 & 0.44 & 0.39 & 0.74 \\ 1.49 & -1.00 & 0.06 & 0.05 & 0.23 & 0.01 & -0.36 & 0.80 \end{bmatrix}$$

Matrix Factorization

- Minimizing


$$\frac{1}{2} \|R - U^T V\|_F^2,$$

$$\min_{U, V} \frac{1}{2} \sum_{i=1}^m \sum_{j=1}^n I_{ij} (R_{ij} - U_i^T V_j)^2$$

$$\min_{U, V} \frac{1}{2} \sum_{i=1}^m \sum_{j=1}^n I_{ij} (R_{ij} - U_i^T V_j)^2 + \frac{\lambda_1}{2} \|U\|_F^2 + \frac{\lambda_2}{2} \|V\|_F^2$$



Social Recommendation Using Probabilistic Matrix Factorization




Social Trust Graph

	v_1	v_2	v_3	v_4	v_5	v_6
u_1		5	2		3	
u_2	4			3		4
u_3			2			2
u_4	5			3		
u_5		5	5			3

User-Item Rating Matrix


User-Item Matrix Factorization

	v_1	v_2	v_3	v_4	v_5	v_6
u_1		5	2		3	
u_2	4			3		4
u_3			2			2
u_4	5			3		
u_5		5	5			3



$$\begin{aligned} \mathcal{L}(R, C, U, V, Z) = & \\ & \frac{1}{2} \sum_{i=1}^m \sum_{j=1}^n I_{ij}^R (r_{ij} - g(U_i^T V_j))^2 + \frac{\lambda_C}{2} \sum_{i=1}^m \sum_{k=1}^m I_{ik}^C (c_{ik}^* - g(U_i^T Z_k))^2 \\ & + \frac{\lambda_U}{2} \|U\|_F^2 + \frac{\lambda_V}{2} \|V\|_F^2 + \frac{\lambda_Z}{2} \|Z\|_F^2, \end{aligned}$$

Recommendation with Social Trust Ensemble



$$\prod_{i=1}^m \prod_{j=1}^n \left[\mathcal{N} \left(R_{ij} \mid g \left(\alpha U_i^T V_j + (1 - \alpha) \sum_{k \in T(i)} S_{ik} U_k^T V_j \right), \sigma^2 \right) \right]^{I_{ij}^R}$$

Distrust

$$\max_U \frac{1}{2} \sum_{i=1}^m \sum_{d \in \mathcal{D}^+(i)} S_{id}^{\mathcal{D}} \|U_i - U_d\|_F^2$$

$$\begin{aligned} \min_{U, V} \mathcal{L}_{\mathcal{D}}(R, S^{\mathcal{D}}, U, V) &= \frac{1}{2} \sum_{i=1}^m \sum_{j=1}^n I_{ij}^R (R_{ij} - g(U_i^T V_j))^2 \\ &+ \frac{\beta}{2} \sum_{i=1}^m \sum_{d \in \mathcal{D}^+(i)} (-S_{id}^{\mathcal{D}} \|U_i - U_d\|_F^2) \\ &+ \frac{\lambda_U}{2} \|U\|_F^2 + \frac{\lambda_V}{2} \|V\|_F^2. \end{aligned} \quad (3)$$



Trust

$$\min_U \frac{1}{2} \sum_{i=1}^m \sum_{t \in \mathcal{T}^+(i)} S_{it}^T \|U_i - U_t\|_F^2$$

$$\begin{aligned} \min_{U, V} \mathcal{L}_{\mathcal{T}}(R, S^T, U, V) &= \frac{1}{2} \sum_{i=1}^m \sum_{j=1}^n I_{ij}^R (R_{ij} - g(U_i^T V_j))^2 \\ &+ \frac{\alpha}{2} \sum_{i=1}^m \sum_{t \in \mathcal{T}^+(i)} (S_{it}^T \|U_i - U_t\|_F^2) \\ &+ \frac{\lambda_U}{2} \|U\|_F^2 + \frac{\lambda_V}{2} \|V\|_F^2. \end{aligned} \quad (7)$$




Using Clicks as Ratings

ID	Query	URL
358	facebook	http://www.facebook.com
358	rww	http://www.readwriteweb.com
3968	iphone4	http://www.apple.com
3968	ipad	http://www.apple.com
...

		Web sites					
		v_1	v_2	v_3	v_4	v_5	v_6
Web users	u_1		68	1		15	
	u_2	42			13		24
	u_3		72	12		11	2
	u_4	15			33		
	u_5		85	45			63

		Queries				
		z_1	z_2	z_3	z_4	z_5
Web users	u_1	12		5	6	
	u_2		23		5	1
	u_3		14		35	18
	u_4	25		11	4	
	u_5		12	5		24

Collective Probabilistic Factor Model



$$\mathcal{L}(U, V, Z; F^x, F^y)$$

$$\begin{aligned}
 &= \sum_{i=1}^m \sum_{l=1}^p (f_{il}^x \ln x_{il} - x_{il}) + \sum_{i=1}^m \sum_{j=1}^n (f_{ij}^y \ln y_{ij} - y_{ij}) \\
 &+ \sum_{i=1}^m \sum_{k=1}^d ((\alpha_k - 1) \ln(u_{ik}/\beta_k) - u_{ik}/\beta_k) \\
 &+ \sum_{j=1}^n \sum_{k=1}^d ((\alpha_k - 1) \ln(v_{jk}/\beta_k) - v_{jk}/\beta_k) \\
 &+ \sum_{l=1}^p \sum_{k=1}^d ((\alpha_k - 1) \ln(z_{lk}/\beta_k) - z_{lk}/\beta_k) + \text{const.}
 \end{aligned}$$

$$u_{ik} \leftarrow u_{ik} \frac{\sum_{j=1}^n (f_{ij}^y v_{jk}/y_{ij}) + \sum_{l=1}^p (f_{il}^x z_{lk}/x_{il}) + (\alpha_k - 1)/u_{ik}}{\sum_{j=1}^n v_{jk} + \sum_{l=1}^p z_{lk} + 1/\beta_k}$$

$$v_{jk} \leftarrow v_{jk} \frac{\sum_{i=1}^m (f_{ij}^y u_{ik}/y_{ij}) + (\alpha_k - 1)/v_{jk}}{\sum_{i=1}^m u_{ik} + 1/\beta_k},$$

$$z_{lk} \leftarrow z_{lk} \frac{\sum_{i=1}^m (f_{il}^x u_{ik}/x_{il}) + (\alpha_k - 1)/z_{lk}}{\sum_{i=1}^m u_{ik} + 1/\beta_k}.$$

$$u_{ik} \leftarrow u_{ik} \frac{\theta \sum_{j=1}^n (f_{ij}^y v_{jk}/y_{ij}) + (1-\theta) \sum_{l=1}^p (f_{il}^x z_{lk}/x_{il}) + (\alpha_k - 1)/u_{ik}}{\theta \sum_{j=1}^n v_{jk} + (1-\theta) \sum_{l=1}^p z_{lk} + 1/\beta_k}$$

Fused Matrix Factorization with Geographical and Social Influence in Location-based Social Networks

Chen Cheng, Haiqin Yang, Irwin King and Michael R. Lyu

AAAI'12, Toronto, Canada

POI Recommendation

The screenshot displays the Foursquare mobile application interface. At the top, the search bar contains 'coffee shop' and the current map view is centered on Manhattan. The left sidebar shows suggestions for coffee shops, including 'Stumptown Coffee Roasters' (9.6 rating) and 'Blue Bottle Coffee' (9.3 rating). The main map area is populated with 30 numbered blue location pins across the city, with some pins highlighted in orange. The interface includes standard map controls like zoom in/out and a compass.



Challenges

- **Large** dataset
 - Crawled from Gowalla from Feb. 2009 to Sep. 2011
 - **4,128,714** check-ins from **53,944** users on **367,149** locations
- Only **positive** data is seen
- **Sparsity** : density of our dataset is only **0.0208%**

	l_1	l_2	l_3	l_4	l_5	l_6	\dots	$l_{ \mathcal{L} -1}$	$l_{ \mathcal{L} }$
u_1	?	?	164	?	1	?	\dots	?	1
u_2	40	2	?	?	?	1	\dots	?	?
\vdots	\vdots	\vdots	\vdots	\vdots	\vdots	\vdots	\dots	\vdots	\vdots
$u_{ \mathcal{U} -1}$?	?	1	1	?	?	\dots	2	?
$u_{ \mathcal{U} }$?	2	?	?	1	?	\dots	?	10

Figure 1: User-location check-in frequency matrix.

Table 1: Basic statistics of the Gowalla dataset.

$\#U$	$\#L$	$\#E$
53,944	367,149	306,958
$\#\tilde{U}$	$\#\tilde{L}$	$\#\tilde{E}$
51.33	7.54	11.38
$\#\max. U$	$\#\max. L$	$\#\max. E$
2,145	3,581	2,366

POI Recommendation in LBSNs

- **Matrix Factorization** can be a promising tool
- However, **Geographical influence** is ignored!

	l_1	l_2	l_3	l_4	l_5	l_6	\dots	$l_{ \mathcal{L} -1}$	$l_{ \mathcal{L} }$
u_1	?	?	164	?	1	?	\dots	?	1
u_2	40	2	?	?	?	1	\dots	?	?
\vdots	\vdots	\vdots	\vdots	\vdots	\vdots	\vdots	\dots	\vdots	\vdots
$u_{ \mathcal{U} -1}$?	?	1	1	?	?	\dots	2	?
$u_{ \mathcal{U} }$?	2	?	?	1	?	\dots	?	10

Figure 1: User-location check-in frequency matrix.

Geographical Influence is Important



Er... a little far..




WWW 2014
The 23rd International World Wide Web Conference
April 7-11, 2014 COEX

POI Recommendation in LBSNs, Irwin King, SRS 2014 Workshop, April 8, 2014, Seoul, Korea






Multi-centers and Normal Distribution



- **Two** centers (home & office) in [Cho et al., '11]
- **Several** centers proposed in our paper




Multi-centers and Normal Distribution



Similar to [Brockmann, '06; Gonzalez, '08] , we assume **each center** follow the **norm distribution**




Inverse Distance Rule



Social Influence

- On average, overlap of a user's check-ins to his friends only about **9.6%**




Our Proposal

- Multi-center Gaussian Model (**MGM**) to capture geographical influence
- Propose a generalized **fused matrix factorization** framework to include social and geographical influences
- Conduct **thorough experiments** on large-scale Gowalla dataset



Multi-center Gaussian Model


- Recall check-in locations are located around several centers
- The probability a user visiting a location is **inversely proportional to** the distance from its nearest center
- MGM is proposed to model users' check-in behavior



Multi-center Gaussian Model

- Notation

- C_u : multi-center set for user u
- f_{c_u} : total frequency at center c_u for user u
- $\mathcal{N}(l|\mu_{c_u}, \Sigma_{c_u})$ is : the pdf of Gaussian distribution, μ_{c_u} and Σ_{c_u} denote the mean and covariance matrices of regions around center c_u



- The probability a user u visiting a location l given C_u defined as:

$$P(l|C_u) = \sum_{c_u=1}^{|C_u|} P(l \in c_u) \frac{f_{c_u}^\alpha}{\sum_{i \in C_u} f_i^\alpha} \frac{\mathcal{N}(l|\mu_{c_u}, \Sigma_{c_u})}{\sum_{i \in C_u} \mathcal{N}(l|\mu_i, \Sigma_i)}$$


$\propto 1/\text{dist}(l, c_u)$

norm effect of check
in freq on center c_u



Multi-center Discovering Algorithm

A greedy clustering algorithm is proposed due to Pareto principle (top 20 locations cover about 80% check-ins)



Algorithm 1 Multi-center Discovering Algorithm

```


1: for all user  $i$  in the user set  $\mathcal{U}$  do
2:   Rank all check-in locations in  $|\mathcal{L}|$  according to visiting frequency
3:    $\forall l_k \in L$ , set  $l_k.center = -1$ ;
4:   Center list =  $\emptyset$ ; center no = 0;
5:   for  $i = 1 \rightarrow |L|$  do
6:     if  $l_i.center == -1$  then
7:       center_no++; Center =  $\emptyset$ ; Center.total_freq = 0;
8:       Center.add( $l_i$ ); Center.total_freq +=  $l_i.freq$ ;
9:       for  $j = i + 1 \rightarrow |L|$  do
10:        if  $l_j.center == -1$  and  $dist(l_i, l_j) \leq d$  then
11:           $l_j.center = center\_no$ ; Center.add( $l_j$ );
12:          Center.total_freq +=  $l_j.freq$ ;
13:        end if
14:      end for
15:      if Center.total_freq  $\geq |u_i|.total\_freq * \theta$  then
16:        Center_list.add(Center);
17:      end if
18:    end if
19:  end for
20:  RETURN Center_list for user  $i$ ;
21: end for

```

search centers

Fused Framework

- Traditional Matrix Factorization (MF) only model users' **preference** on locations
- MGM only models **geographic**
- We can fuse both of them



$$P_{ul} = P(F_{ul}) \cdot P(l|C_u)$$

prob. user u
visit location l
encode user preference
based on MF
calculated by MGM



Setup and Metric

- Split the dataset into 2 non-overlapping sets
 - Randomly select x% for **each user** as training data and the rest (1-x)% as the test data, x set to 70 and 80
 - Carried out 5 times **independently**, we report the average
- POI recommendation
 - Return **top-N** POIs for each user
 - Find out # of locations in test dataset are **recovered**
- Metric

$$Precision@N = \frac{\# \text{ of recovered POIs}}{N}$$

$$Recall@N = \frac{\# \text{ of recovered POIs}}{\# \text{ of total missing POIs}}$$





Comparison Methods



- MGM
- PMF: [Salakhutdinov and Mnih, '07]
- PMF with Social Regularization (PMFSR): [Ma et al., '11b]
- Probabilistic Factor Model (PFM): [Ma et al., '11a]
- Fused MF with MGM (FMFMGM): our proposed method



Results




70%





80%

User Check-in Distribution



Performance on Different Users



Conclusions

- Extract **characteristics** of a large dataset crawled from Gowalla
- Propose a novel Multi-center Gaussian Model (**MGM**) to model **geographical influence**
- Propose a **fused MF framework** which outperforms state-of-the-art methods




Where You Like to Go: Next Successive Point-of-Interest Recommendation

Chen Cheng, Haiqin Yang, Irwin King and Michael R. Lyu

IJCAI'13, Beijing, China

Successive POI Recommendation




Two Main Properties in LBSNs Dataset

- Personalized Markov chain
- Localized region constraint




Personalized Markov Chain

- Inter check-in time
 - Around **45%** successive check-ins within 2h, **70%** within 12h.
- Strong connections between inter check-ins
 - E.g. cinemas or bars after restaurant, hotels after airports.
- Motivated to use transition probability




Localized Region Constraint

- Most inter check-ins occurs at nearby locations
 - 75% within 10km, less than 5% beyond 100 km.
- We can only consider the new POIs **near a user's previous check-ins** when providing successive POI recommendation.



Example



User 1

Localized Region Constraint

User 2

Our Proposal

- We propose **F**actoring **P**ersonalize **M**arkov **C**hain with **L**ocalized **R**egion model (FPMC-LR).
 - Combine **the personalize Markov chain** and **localized region constraint**
 - Although borrows the idea of FPMC [Rendle et al. '10], we emphasize on users' **movement constraint** and focus on a **different** problem



Problem Definition

- Notation:
 - \mathcal{U} : users, \mathcal{L} : locations, \mathcal{L}_u : the check-in history of user u
 - \mathcal{T} : slice window to construct a set check-ins, \mathcal{T} : time window set
 - \mathcal{L}_u^t : check-in time of user u at time t , $t \in \mathcal{T}$
- Problem:
 - Given a sequence of check-ins, $\mathcal{L}_u^1, \dots, \mathcal{L}_u^t$, the (lat, lng) pair of locations, **recommend** POIs to users at **$t+1$**



Model

- FPMC-LR is to recommend a successive personalized POI by the prob. a user u will visit at time t :

$$x_{u,i,l} = p(l \in \mathcal{L}_u^t | i \in \mathcal{L}_u^{t-1})$$

- Base on first-order Markov chain property

$$p(l \in \mathcal{L}_u^t | \mathcal{L}_u^{t-1}) = \frac{1}{|\mathcal{L}_u^{t-1}|} \sum_{i \in \mathcal{L}_u^{t-1}} p(l \in \mathcal{L}_u^t | i \in \mathcal{L}_u^{t-1})$$

Prob. for user u from location i to l



Model

- FPMC-LR only consider the **neighborhood locations** of previous check-ins

$$N_d(\mathcal{L}_u^t) = \{l \in \mathcal{L} \setminus \mathcal{L}_u^{t-1} : D(l, l_0) \leq d, \forall l_0 \in \mathcal{L}_u^{t-1}\}$$

- Thus our FPMC-LR yields a transition tensor

$$\mathcal{X} \in [0, 1]^{|\mathcal{U}| \times |\mathcal{L}| \times |N_d(\mathcal{L})|}$$

- Note: $|N_d(\mathcal{L})|$ is reduced largely compared to $|\mathcal{L}|$, around 100 when $d = 40$ km



Model

- Use the same idea in [Rendle et al, '10], we approximate the tensor as:

$$\hat{x}_{u,i,l} = \mathbf{v}_u^{\mathcal{U},\mathcal{L}} \cdot \mathbf{v}_l^{\mathcal{L},\mathcal{U}} + \mathbf{v}_l^{\mathcal{L},\mathcal{I}} \cdot \mathbf{v}_i^{\mathcal{I},\mathcal{L}} + \mathbf{v}_u^{\mathcal{U},\mathcal{I}} \cdot \mathbf{v}_i^{\mathcal{I},\mathcal{U}}$$

where $\mathbf{v}_u^{\mathcal{U},\mathcal{L}}$ and $\mathbf{v}_l^{\mathcal{L},\mathcal{U}}$ model the latent features for users and the next locations, respectively.

– This gives the set of model parameters, i.e.,

$$\Theta = \{\mathbf{V}^{\mathcal{U},\mathcal{L}}, \mathbf{V}^{\mathcal{L},\mathcal{U}}, \mathbf{V}^{\mathcal{U},\mathcal{I}}, \mathbf{V}^{\mathcal{I},\mathcal{U}}, \mathbf{V}^{\mathcal{L},\mathcal{I}}, \mathbf{V}^{\mathcal{I},\mathcal{L}}\}$$



Model

- Model top-k recommendations as a ranking over locations:

$$i >_{u,t} j : \Leftrightarrow \hat{x}_{u,t,i} > \hat{x}_{u,t,j}$$

- The MAP estimator is

$$\arg \max_{\Theta} \sum_{u \in \mathcal{U}} \sum_{\mathcal{L}_u^t \in \mathcal{L}_u} \sum_{i \in \mathcal{L}_u^t} \sum_{j \in N(\mathcal{L}_u^{t-1}) \setminus \mathcal{L}_u^t} \ln \sigma(\hat{x}_{u,t,i} - \hat{x}_{u,t,j}) - \lambda_{\Theta} \|\Theta\|_F^2$$

- Learning algorithm: Stochastic gradient descent



Data Set

- Two publicly available data sets: Foursquare and Gowalla

Table 1: Basic statistics of Foursquare and Gowalla dataset.

	$\#U$	$\#L$	$\#$ check-in	$\#$ avg. check-in
Foursquare	3571	28754	744055	208.36
Gowalla	4510	59355	873071	193.58



Experiment: Comparison

- Compared methods
 - PMF: proposed by [Salakhudinov and Mnih, '07]
 - PTF: proposed by [Xiong et al., '07].
 - FPMC: proposed by [Rendle et al. '10].
- Metric

$$P@N := \frac{|S|}{N}, \quad R@N := \frac{|S|}{|\mathcal{L}_u^{t+1}|}$$



Results


Table 2: Performance comparison

Metrics	Foursquare				Gowalla			
	PMF	PTF	FPMC	FPMC-LR	PMF	PTF	FPMC	FPMC-LR
P@10	0.0185	0.0170	0.0275	0.0360	0.0130	0.0110	0.0220	0.0310
Improve	94.59%	111.76%	30.91%		138.46%	181.82%	40.91%	
R@10	0.1542	0.1417	0.2325	0.3033	0.1040	0.0785	0.1575	0.2116
Improve	96.69%	114.04%	30.45%		103.46%	169.55%	34.35%	


- Both FPMC and FPMC-LR outperforms PMF and PTF
 - Importance of **personalize Markov chain**
- PMF performs better than PTF
 - Latent features are similar to previous time is not valid in LBSNs data
- FPMC-LR performs better than FPMC
 - Localized region constraint can reduce **noisy information** and achieve **better** results compared to consider all locations.



Impact of Parameter d




(a) $P@10$




(b) $R@10$

- $d = 40$ km is best.
 - d is too small: do not include enough information which yields suboptimal performance
 - d is too large: introduce noisy information, extreme case is FPMC

Convergence and Efficiency Analysis



(a) $P@10$ (Foursquare)



(b) $R@10$ (Foursquare)

- Each iteration we draw 2×10^5 quadruples, FPMC-LR attains best performance around 150 iterations
- Each iteration takes around 30s, and FPMC-LR is much more efficient at recommendation time than FPMC: consider only the neighbor locations, almost **0.4%** of total locations

Conclusions

- We propose **FPMC-LR** model to solve the **successive POI recommendation** in LBSNs
- FPMC-LR **reduces computation cost** largely compared to FPMC
- The performance on two large dataset shows the **effectiveness** of our model



Conclusion

- LBSs are becoming more and more important!
- Combine social and geographical information
- Indoor and outdoor LBSs
- Living analytics!



Acknowledgments

- Shouyuan Chan (Ph.D.)
- Xixian Chen (Ph.D.)
- Chen Cheng (Ph.D.)
- Junjie Hu (Ph.D.)
- Baichuan Li (Ph.D.)
- Guang Ling (Ph.D.)
- Haiqin Yang (Postdoc)
- Connie Yuen (PT Ph.D.)
- Hongyi Zhang (Ph.D.)
- Shenglin Zhao (Ph.D.)
- Tong Zhao (Ph.D.)
- Patrick Lau
- Yuanyuan Man
- Shuai Wang
- Raymond Yeung



SOCIAL MEDIA & SOCIAL COMPUTING

CALL FOR PAPERS!



The Social Media and Social Computing Series focuses on publishing high quality references in the rapidly emerging area of social media and social computing. Both experimental/practical as well as theoretical investigations are welcome. The series targets both scholars and practitioners in social media and social computing for work in the intersection of computer science, information technology, psychology, economics, education and other social sciences. The advent of the Internet and the Web has resulted in social interactions and behaviors through the use of technologies and web services, e.g., hardware devices such as smart phones, tablets, RFID, etc., software services such as wikis, blogs, micro-blogs, social network sites, recommender systems, social bookmarking, social news, multimedia sharing sites, etc. Analyzing these technologically-enabled interactions in their social context will benefit information providers and information consumers. However, the large volume and scale of user-generated contents require effective modeling methods and efficient algorithms to handle these challenging problems.

Series Editor:



[Irwin King](#)

Prof. King is Associate Editor of the IEEE Transactions on Neural Networks (TNN) and IEEE Computational Intelligence Magazine (CIM). He is a senior member of IEEE and a member of ACM, International Neural Network Society (INNS), and VP & Governing Board Member of the Asian Pacific Neural Network Assembly (APNNA). He serves the Neural Network Technical Committee (NNTC) and the Data Mining Technical Committee under the IEEE Computational Intelligence Society.

<https://www.cse.cuhk.edu.hk/irwin.king/home>

kin@cse.cuhk.edu.hk



[Please send Proposals to either the Series Editor or Directly to:](#)

LEONG Li-Ming
Editor, CRC Press
240 Macpherson Road, #08-01,
Pines Industrial Building,
Singapore 348574
li.ming@tandf.com.sg
Tel: (65) 67415166 x 115



VeriGuide

- Similarity text detection system
- Developed at CUHK
- Promote and uphold academic **honesty, integrity, and quality**
- Support **English, Traditional and Simplified Chinese**
- Handle .doc, .txt, .pdf, .html, etc. file formats
- Generate detailed **originality report** including readability



WWW2014 Workshop on Web-based Education Technologies (WebET 2014)

April 9, 2014, Seoul, Korea

[Home](#) [About](#) [Committee](#) [Authors](#) [Attendees](#) [Program](#)



WebET 2014

The Web has long been recognized as a powerful platform for teaching and learning. The educational community was among the early adopters of the technology and has contributed to its evolution. We are at this point at a major inflection point for Web-based Education Technologies. The convergence ("a perfect storm") of new technologies supporting search, social media, semantics, data mining (Big Data), and others along with current interest to distributed educational pedagogies such as connectivism, behaviorism, and "the flipped classroom" promises to dramatically change Web-based Education Technologies in the near future. The interest in Massive Open Online Courses (MOOCs) has been described as "a tsunami in education" and has re-kindled valuable discussions regarding the role of WebET.

Search ...

SEARCH

Call for Papers

Important Dates

- Submission Deadline: Jan. 14, 2014
- Author Notification: Feb. 4, 2014
- Final Manuscript: Feb. 12, 2014



The Chinese University of Hong Kong

POI Recommendation in LBSNs, Irwin King, SRS 2014 Workshop, April 8, 2014, Seoul, Korea

CUHK Excellence

- The only university in Hong Kong having Nobel Laureates as faculty. **Four** Distinguished Professors-at-Large.
- **Nine** academicians of Chinese Academy of Sciences and Chinese Academy of Engineering



Professor Yang Chen-Ning,
Nobel Laureate in Physics




Professor Sir James A.
Mirrlees, Nobel Laureate
in Economic Sciences



Professor Yau Shing-Tung,
Fields Medalist



Professor Andrew Yao,
Turing Award Winner



<http://tricompr.com/blogs/prticles/4-tips/211-asideeffectoflbs>

Q & A