
# Advanced topic: Zero-Knowledge Proofs


CSCI 3130 Formal Languages and Automata Theory

Siu On CHAN Fall 2018

Chinese University of Hong Kong




- Server knows your password
- They may impersonate you at other websites where you use the same password



# Can you convince the server that you know your password, without revealing it?

Recall that a language L is in NP if

there is a polynomial-time verifier V such that  $x \in L$  if and only if V accepts (x, s) for some s



s is a proof that  $x \in L$ 

Verifier V is convinced that  $x \in L$ , but verifier also knows a lot more

#### You want to convince me you are not color-blind



I pull at random either a red ball or a blue ball and show it to you

You say red or blue

We repeat this 10 times

If you got all the answers right I am convinced you can tell apart red from blue What knowledge did I gain from this interaction?

I learned that you can tell apart red from blue

But I also learned the colors of the balls

If I were color-blind

Then I used you to gain some knowledge that I didn't have



#### I pull at random either a red ball or a blue ball and show it to you

We repeat 10 times

Each time (except the first)

# you say "same color as previous" or "different color from previous"

If you got all the answers right I am convinced you can tell apart red from blue

But I did not gain other knowledge!

## Suppose I am color-blind but you are not

In the first experiment, I cannot predict your answer ahead of time

In the second one, I know what you are supposed to say, so I do not gain knowledge when you say it

Task: Assign one of 3 colors to the nodes so that every edge has different colors at its endpoints



 $3COL = \{ \langle G \rangle \mid \text{Graph } G \text{ has a valid } 3\text{-coloring} \}$ 

3COL is NP-complete


Goldreich–Micali–Wigderson proposed a zero-knowledge procotol for 3COL

# GMW protocol: Choosing a password




#### password is a random string of colors






Instead of sending the password to the server

you construct a graph with vertices colored as in password




Put some (random) edges between vertices of different colors Delete the colors of the vertices



# GMW protocol: Commitment phase


Your real password is the coloring, which you hide from the server You give the server a graph *G* that you know how to color, but the

server doesn't



Since 3COL is NP-hard, the server shouldn't be able to figure out your coloring (password) from *G* 

# GMW protocol: Login phase



You randomly permute the colors

#### You lock each of the colors in an imaginary box

Send the locked boxes to server

Server picks a random edge and asks for keys to the related boxes

You send the two requested keys

The server unlocks two boxes and checks the colors are different

Repeat all of the above steps 1000 times

If colors are always different, login succeeds

Why can't an impostor log in instead of you? An impostor does not know how to color the graph Some edge will be colored improperly When the server asks to see this edge, impostor will be detected

## Why doesn't the server learn your password?

When you send the password, the server can only see some locked boxes

The server then asks you to unlock some boxses

Colors in the password were shuffled, so server will only see two random colors

#### How do you send boxes and keys over the internet?

Commitment scheme!

- 1. Zero-knowledge voting
- 2. Zero-knowledge nuclear warhead verification