

# The $k$ -Selection Problem (Det.)

(Slides for ESTR2102)

Yufei Tao

Department of Computer Science and Engineering  
Chinese University of Hong Kong

## The $k$ -Selection Problem

### Input

You are given a set  $S$  of  $n$  integers in an array and an integer  $k \in [1, n]$ .

### Output

The  $k$ -th smallest integer of  $S$ .

We will describe an algorithm solving the problem **deterministically** in  $O(n)$  time.

Recall:

Define the **rank** of an integer  $v$  in  $S$  as the number of elements in  $S$  smaller than or equal to  $v$ .

For example, the rank of 23 in  $\{76, 5, 8, 95, 10, 31\}$  is 3, while that of 31 is 4.

## A Deterministic Algorithm

We will assume that  $n$  is a multiple of 10 (if not, pad up to 9 dummy elements larger than everything else).

**Step 1:** Divide  $A$  into disjoint subsets of size 5, each referred to as a **chunk**.

**Step 2:** From each chunk, identify the median of the 5 elements therein. Collect all the  $n/5$  medians into an array  $B$ .

**Step 3:** Recursively run the algorithm to find the median  $p$  of  $B$ .

## A Deterministic Algorithm

**Step 4:** Find the rank  $r$  of  $p$  in  $A$ .

**Step 5:**

- If  $r = k$ , return  $p$ .
- If  $r < k$ , produce an array  $A'$  containing all the elements of  $A$  less than  $p$ . Recursively find the  $k$ -th smallest element in  $A'$ .
- If  $r > k$ , produce an array  $A'$  containing all the elements of  $A$  greater than  $p$ . Recursively find the  $(k - r)$ -th smallest element in  $A'$ .

## Analysis

### Lemma

The value of  $r$  falls in the range from  $\lceil(3/10)n\rceil$  to  $\lceil(7/10)n\rceil + 7$ .

**Proof:** Let us first prove the lemma by assuming that  $n$  is a multiple of 10.

Let  $C_1$  be the set of chunks whose medians are **at most**  $p$ .

Let  $C_2$  be the set of chunks whose medians are **larger than**  $p$ .

Note that  $|C_1| = |C_2| = n/10$ .

## Analysis

Every chunk in  $C_1$  contains at least 3 elements at most  $p$ . Hence:

$$r \geq 3|C_1| = (3/10)n.$$

Every chunk in  $C_2$  contains at least 3 elements larger than  $p$ . Hence:

$$r \leq n - 3|C_2| = (7/10)n.$$

It thus follows that when  $n$  is a multiple of 10,  $r \in [(3/10)n, (7/10)n]$ .

## Analysis

Now consider that  $n$  is not a multiple of 10. Let  $n'$  be the lowest multiple of 10 at least  $n$ . Hence,  $n \leq n' \leq n + 9$ . By our earlier analysis:

$$\begin{aligned}(3/10)n' &\leq r \leq (7/10)n' \\ \Rightarrow (3/10)n &\leq r \leq (7/10)(n + 9) = (7/10)n + 7 \\ \Rightarrow \lceil (3/10)n \rceil &\leq r \leq (7/10)(n + 9) < \lceil (7/10)n \rceil + 7\end{aligned}$$

where the last step used the fact that  $r$  is an integer. □



## Analysis

Let  $f(n)$  be the worst-case running time of our algorithm on  $n$  elements.

We know that when  $n$  is at most a certain constant,  $f(n) = O(1)$ .

For larger  $n$ :

$$f(n) = f(\lceil (n+9)/5 \rceil) + f(\lceil (7/10)n \rceil + 7) + O(n).$$

The recurrence solves to  $f(n) = O(n)$  (the substitution method).