

## CSCI2100: Regular Exercise Set 9

Prepared by Yufei Tao

**Problem 1.** In the class, we proved that if  $f(h)$  denotes the smallest number of nodes in a balanced binary tree of height  $h$ , it must hold that

$$f(h) = 1 + f(h-1) + f(h-2).$$

Give a balanced binary tree of height 6 with  $f(6)$  nodes.

**Problem 2.** Let  $T$  be a binary tree of  $n$  nodes. For each node  $u$  of  $T$ , define its *count* as the number of nodes in its subtree (remember that the subtree includes the node itself). Describe an algorithm to compute the counts of all the nodes in  $T$  (you can assume that each node has reserved a memory cell for you to store the count). Your algorithm must terminate in  $O(n)$  time.

**Problem 3.** Let  $T$  be a binary search tree (BST) of on a set  $S$  of  $n$  integers. Let  $x$  and  $y$  be two integers in  $S$ . Describe an algorithm to find the lowest common ancestor  $A$  of the nodes in  $T$  storing  $x$  and  $y$ , respectively. If  $A$  is at level  $\ell$  (recall that the root is at level 0), your algorithm must finish in  $O(1 + \ell)$  time.

**Problem 4.** Let  $T$  be a binary search tree (BST) of on a set  $S$  of  $n$  integers. Describe an  $O(\log n + k)$ -time algorithm to answer the following query: given an interval  $[a, b]$ , report all the integers of  $S$  that fall in  $[a, b]$ . Here,  $k$  is the number of integers reported.

**Problem 5.** Let  $S$  be a set of  $n$  key-value pairs of the form  $(t, v)$ . Denote by  $m$  the number of distinct keys in all the pairs of  $S$ . Describe a data structure to support the following queries efficiently: given an interval  $[a, b]$ , report all the pairs  $(t, v) \in S$  such that  $t \in [a, b]$ . Your structure must use  $O(n)$  space, and answer a query in  $O(\log m + k)$  time, where  $k$  is the number of pairs reported.