## **NFA to DFA conversion and regular expressions** CSCI 3130 Formal Languages and Automata Theory

Siu On CHAN Fall 2021

Chinese University of Hong Kong


### NFA can do everything a DFA can do

#### How about the other way?

#### Every NFA is equivalent to some DFA for the same language


### Given an NFA, figure out

- 1. the initial active states
- 2. how the set of active states changes upon reading an input symbol



## Initial active states (before reading any input)?


## $NFA \rightarrow DFA$ example




Initial active states (before reading any input)?



How does the set of active states change?




Initial active states (before reading any input)?




How does the set of active states change?


Current  $\{q_0, q_1, q_2\}$  & input 0: New states  $\{q_0, q_1, q_2\}$ 




Initial active states (before reading any input)?



How does the set of active states change? Current  $\{q_0, q_1, q_2\}$  & input 1: New states  $\{q_1, q_2\}$ 




Initial active states (before reading any input)?



How does the set of active states change?

## How does the set of active states change?




If the NFA is in one of the states in *S*, upon reading symbol 0 (or 1), what states can the NFA go to

Example: set of active states  $S = \{q_1, q_2\}$ 

- After reading 0, the NFA may go to  $q_0$ ,  $q_1$  or  $q_2$
- After reading 1, the NFA may go nowhere

## $\text{NFA} \rightarrow \text{DFA summary}$



Every DFA state corresponds to a subset of NFA states A DFA state is accepting if it contains an accepting NFA state

## Regular expressions

## Regular expressions

Powerful string matching feature in advanced editors (e.g. Vim, Emacs) and modern programming languages (e.g. PERL, Python)

PERL regex examples:

colou?r matches "color"/"colour"

[A-Za-z]\*ing matches any word ending in "ing"

We will learn to parse complicated regex recursively by building up from simpler ones

Also construct the language matched by the expression recursively

Will focus on regular expressions in formal language theory (notations differ from PERL/Python/POSIX regex)

$$st = abbab$$
 $s = abb$  $t = bab$  $t = bab$  $ss = abbabb$  $sst = abbabbab$ 

## Operations on languages

• Concatenation of languages  $L_1$  and  $L_2$ 

$$L_1 L_2 = \{ st \mid s \in L_1, t \in L_2 \}$$

• *n*-th power of language L

$$L^n = \{s_1 s_2 \dots s_n \mid s_1, s_2, \dots, s_n \in L\}$$

 ${\cal L}^n$  contains strings that are concatenations of n strings, each from  ${\cal L}$ 

• Union of  $L_1$  and  $L_2$ 

 $L_1 \cup L_2 = \{s \mid s \in L_1 \text{ or } s \in L_2\}$ 

$$L_1 = \{0, 01\} \qquad L_2 = \{\varepsilon, 1, 11, 111, \dots\}$$

$$L_1L_2 = \{0, 01, 011, 0111, \dots\} \cup \{01, 011, 0111, 01111, \dots\}$$
$$= \{0, 01, 011, 0111, \dots\}$$
$$0 \text{ followed by any number of 1s}$$

 $L_1^2 = \{00,001,010,0101\} \qquad \qquad L_2^2 = L_2 \\ L_2^n = L_2 \quad \text{for any } n \geqslant 1$ 

$$L_1 \cup L_2 = \{0, 01, \varepsilon, 1, 11, 111, \dots\}$$

## The star of L are contains strings made up of zero or more chunks from L

 $L^* = L^0 \cup L^1 \cup L^2 \cup \dots$ 

Example:  $L_1 = \{0, 01\}$  and  $L_2 = \{\varepsilon, 1, 11, 111, \dots\}$ What is  $L_1^*$ ?  $L_2^*$ ?

$$L_1 = \{0, 01\}$$

$$\begin{split} &L_1^0 = \{\varepsilon\} \\ &L_1^1 = \{0,01\} \\ &L_1^2 = \{00,001,010,0101\} \\ &L_1^3 = \{000,0001,0010,00101,0100,01001,01010,010101\} \end{split}$$

## Which of the following are in $L_1^*$ ?001000010011000110010001

$$L_1 = \{0, 01\}$$

$$\begin{split} L_1^0 &= \{\varepsilon\} \\ L_1^1 &= \{0, 01\} \\ L_1^2 &= \{00, 001, 010, 0101\} \\ L_1^3 &= \{000, 0001, 0010, 00101, 0100, 01001, 01010, 010101\} \end{split}$$

	Which of the following are in $L_1^*$ ?	
00100001	00110001	10010001
Yes	No	No

$$L_1 = \{0, 01\}$$

$$\begin{split} L_1^0 &= \{\varepsilon\} \\ L_1^1 &= \{0, 01\} \\ L_1^2 &= \{00, 001, 010, 0101\} \\ L_1^3 &= \{000, 0001, 0010, 00101, 0100, 01001, 01010, 010101\} \end{split}$$

	Which of the following are in $L_1^*$ ?			
00100001	00110001	10010001		
Yes	No	No		
$L_1^*$ contains all strings such that any 1 is preceded by a 0				

$$L_2 = \{\varepsilon, 1, 11, 111, \dots\}$$

### any number of 1s

$$L_2^0 = \{\varepsilon\}$$
  

$$L_2^1 = L_2$$
  

$$L_2^2 = L_2$$
  

$$L_2^n = L_2 \quad (n \ge 1)$$

$$L_2 = \{\varepsilon, 1, 11, 111, \dots\}$$

#### any number of 1s

$$\begin{split} L_2^0 &= \{\varepsilon\} \\ L_2^1 &= L_2 \\ L_2^2 &= L_2 \\ L_2^n &= L_2 \quad (n \geqslant 1) \end{split}$$

$$L_2^* = L_2^0 \cup L_2^1 \cup L_2^2 \cup \dots$$
$$= \{\varepsilon\} \cup L_2 \cup L_2 \cup \dots$$
$$= L_2$$

$$L_2^* = L_2$$

We can construct languages by starting with simple ones, like {0} and {1}, and combining them

 $\{0\}(\{0\} \cup \{1\})^* \qquad \Rightarrow \quad 0(0+1)^*$  all strings that start with 0

We can construct languages by starting with simple ones, like {0} and {1}, and combining them

- $\{0\}(\{0\}\cup\{1\})^* \qquad \Rightarrow \quad 0(0+1)^* \\ \text{ all strings that start with } 0$
- $\begin{array}{rcl} (\{0\}\{1\}^*)\cup(\{1\}\{0\}^*) & \Rightarrow & 01^*+10^* \\ & & 0 \mbox{ followed by any number of 1s, or} \\ & & 1 \mbox{ followed by any number of 0s} \end{array}$

We can construct languages by starting with simple ones, like {0} and {1}, and combining them

- $\{0\}(\{0\}\cup\{1\})^* \qquad \Rightarrow \quad 0(0+1)^* \\ \text{ all strings that start with } 0$
- $\begin{array}{rcl} (\{0\}\{1\}^*)\cup (\{1\}\{0\}^*) & \Rightarrow & 01^*+10^* \\ & & 0 \text{ followed by any number of 1s, or} \\ & & 1 \text{ followed by any number of 0s} \end{array}$

## $0(0+1)^*$ and $01^*+10^*$ are regular expressions Blueprints for combining simpler languages into complex ones

A language L over  $\Sigma$  is regular if it is one of the following

- $L = \emptyset$  or  $\{\varepsilon\}$
- +  $L = \{x\}$  where x is a symbol in  $\Sigma$ 
  - + If  $\Sigma = \{0, 1\}$ , then  $\{0\}$  and  $\{1\}$  are both regular over  $\Sigma$
- $\cdot$  if  $L_1$  and  $L_2$  are both regular, so are  $L_1 \cup L_2$ ,  $L_1L_2$  and  $L_1^*$

A regular expression over  $\boldsymbol{\Sigma}$  is an expression formed by the following rules

- The symbols Ø and  $\varepsilon$  are regular expressions
- Every symbol in  $\Sigma$  is a regular expression
  - + If  $\Sigma = \{0,1\}$ , then 0 and 1 are both regular expressions over  $\Sigma$
- If R and S are regular expressions, so are R + S, RS and  $R^*$



A language is regular if it is represented by a regular expression

 $\Sigma = \{0,1\}$ 

01\* = 0(1)\* represents {0,01,011,0111,...} 0 followed by any number of 1s

01\* is not (01)\*

0 + 1 yields  $\{0, 1\}$ strings of length 1 $(0 + 1)^*$  yields  $\{\varepsilon, 0, 1, 00, 01, 10, 11, ...\}$ any string $(0 + 1)^* 010$ any string that ends in 010 $(0 + 1)^* 01(0 + 1)^*$ any string containing 01

 $((0+1)(0+1))^*$ 

 $((0+1)(0+1)(0+1))^*$ 

 $((0+1)(0+1))^{*}$ 

 $((0+1)(0+1)(0+1))^*$ 

(0+1)(0+1) (0+1)(0+1)(0+1)

 $((0+1)(0+1))^*$ 

 $((0+1)(0+1)(0+1))^*$ 

(0+1)(0+1)strings of length 2 (0 + 1)(0 + 1)(0 + 1) strings of length 3

 $((0+1)(0+1))^*$ strings of even length

(0+1)(0+1)strings of length 2  $((0+1)(0+1)(0+1))^*$ strings whose length is a multiple of 3

(0 + 1)(0 + 1)(0 + 1) strings of length 3 What language does the following represent?  $((0 + 1)(0 + 1))^* + ((0 + 1)(0 + 1)(0 + 1))^*$ strings whose length is even or a multiple of 3 = strings of length 0, 2, 3, 4, 6, 8, 9, 10, 12, ...

 $((0+1)(0+1))^*$  strings of even length

 $((0+1)(0+1)(0+1))^*$ strings whose length is a multiple of 3

(0+1)(0+1)strings of length 2 (0 + 1)(0 + 1)(0 + 1) strings of length 3

## (0+1)(0+1) + (0+1)(0+1)(0+1)

### (0+1)(0+1) + (0+1)(0+1)(0+1)

(0+1)(0+1) (0+1)(0+1)(0+1)

### (0+1)(0+1) + (0+1)(0+1)(0+1)

(0+1)(0+1)strings of length 2 (0+1)(0+1)(0+1)strings of length 3

## (0+1)(0+1) + (0+1)(0+1)(0+1)strings of length 2 or 3

(0+1)(0+1)(0+1)strings of length 3

(0+1)(0+1)strings of length 2

 $((0+1)(0+1) + (0+1)(0+1)(0+1))^*$ 

strings that can be broken into blocks, where each block has length 2 or 3

(0+1)(0+1) + (0+1)(0+1)(0+1)strings of length 2 or 3

> (0+1)(0+1)(0+1)strings of length 3

(0+1)(0+1)strings of length 2

 $((0+1)(0+1) + (0+1)(0+1)(0+1))^*$ 

## strings that can be broken into blocks, where each block has length $2 \mbox{ or } 3$

Which are in the language? $\varepsilon$ 1010110011010110

 $((0+1)(0+1) + (0+1)(0+1)(0+1))^*$ 

## strings that can be broken into blocks, where each block has length $2 \mbox{ or } 3$



The regular expression represents all strings except 0 and 1

## Understanding regular expressions

What language does the following represent?

 $(1+01+001)^* (\varepsilon + 0 + 00)$ 

 $(1+01+001)^* \underbrace{(\varepsilon+0+00)}^{\text{ends in at most two 0s}}$ 

## Understanding regular expressions

#### What language does the following represent?

 $\underbrace{(1+01+001)^*}_{(\varepsilon+0+00)}$  ( $\varepsilon+0+00$ )

at most two 0s between two consecutive 1s

Never three consecutive Os

The regular expression represents strings not containing 000

Examples:

ε

00

0111001101110

0010010

### Write a regular expression for all strings with two consecutive Os

### Write a regular expression for all strings with two consecutive 0s

(anything)00(anything)

 $(0+1)^*00(0+1)^*$