

1. Definition.

Let K, L be sets. We say K is a **subset** of L if the statement (\dagger) holds:

(\dagger) For any object x , [if $(x \in K)$ then $(x \in L)$].

We write $K \subset L$.

Definition.

Let A be a set.

The **power set** of the set A is defined to be the set

$$\{S \mid S \text{ is a subset of } A\}.$$

It is denoted by $\mathfrak{P}(A)$.

Remark. By definition, $S \in \mathfrak{P}(A)$ iff $S \subset A$.

$A = ?$	Elements of A ?	Subsets of A ? Elements of $\mathfrak{P}(A)$?	$\mathfrak{P}(A) = ?$
\emptyset	A has no element	\emptyset	$\{\emptyset\}$
$\{0\}$	0	$\emptyset, \{0\}$	$\{\emptyset, \{0\}\}$
$\{0, 1\}$	0, 1	$\emptyset, \{0\}, \{1\}, \{0, 1\}$	$\{\emptyset, \{0\}, \{1\}, \{0, 1\}\}$
$\{0, 1, 2\}$	0, 1, 2	$\emptyset, \{0\}, \{1\}, \{2\},$ $\{0, 1\}, \{1, 2\}, \{0, 2\}, \{0, 1, 2\}$	$\{\emptyset, \{0\}, \{1\}, \{2\},$ $\{0, 1\}, \{1, 2\}, \{0, 2\}, \{0, 1, 2\}\}$

2. Refer to the Handout *Examples of proofs for properties of basic set operations*.

Recall a few results that we have proved:

(a) **Statement (3) of Theorem (I).**

Let K, L, M be sets.

Suppose K is a subset of L and L is a subset of M .

Then K is a subset of M .

(b) **Statement (1) of Theorem (IV).**

Let K, L, M be sets.

Suppose K is a subset of L and K is a subset of M .

Then K is a subset of $L \cap M$.

(c) **Statement (3) of Theorem (IV).**

Let K, L, M be sets.

Suppose K is a subset of M and L is a subset of M .

Then $K \cup L$ is a subset of M .

We shall take these results for granted in the argument for Theorem (\dagger_1).

3. Theorem (\dagger_1).

Let A, B be sets. The statements below hold:

1. $\emptyset, A \in \mathfrak{P}(A)$. Moreover, $\mathfrak{P}(A) \neq \emptyset$.
2. (a) Suppose $A \subset B$. Then $\mathfrak{P}(A) \subset \mathfrak{P}(B)$.
(b) Suppose $\mathfrak{P}(A) \subset \mathfrak{P}(B)$. Then $A \subset B$.
(c) $A \subset B$ iff $\mathfrak{P}(A) \subset \mathfrak{P}(B)$.

Proof of (1).

$\emptyset \subset A$. Then $\emptyset \in \mathfrak{P}(A)$.
 $A \subset A$. Then $A \in \mathfrak{P}(A)$.
So $\mathfrak{P}(A) \neq \emptyset$. \square

Proof of Statements (1), (2a) of Theorem (\dagger_1).

Proof of (2a).

Let A, B be sets. Suppose $A \subset B$.

[Try to prove: $\mathfrak{P}(A) \subset \mathfrak{P}(B)$.
What is it, really? For any S , if $S \in \mathfrak{P}(A)$ then $S \in \mathfrak{P}(B)$.]

• Pick any object S . Suppose $S \in \mathfrak{P}(A)$. [Try to deduce: $S \in \mathfrak{P}(B)$.]

By definition, since $S \in \mathfrak{P}(A)$, we have $S \subset A$.

By Theorem (I.3), since $S \subset A$ and $A \subset B$, we have $S \subset B$.

Now, by definition, since $S \subset B$, we have $S \in \mathfrak{P}(B)$.

It follows that $\mathfrak{P}(A) \subset \mathfrak{P}(B)$. \square

Theorem (\dagger_1).

Let A, B be sets. The statements below hold:

1. $\emptyset, A \in \mathfrak{P}(A)$. Moreover, $\mathfrak{P}(A) \neq \emptyset$.
2. (a) Suppose $A \subset B$. Then $\mathfrak{P}(A) \subset \mathfrak{P}(B)$.
(b) Suppose $\mathfrak{P}(A) \subset \mathfrak{P}(B)$. Then $A \subset B$.
(c) $A \subset B$ iff $\mathfrak{P}(A) \subset \mathfrak{P}(B)$.

Proof of Statements (2b), (2c) of Theorem (\dagger_1).

Proof of (2b).

Let A, B be sets. Suppose $\mathfrak{P}(A) \subset \mathfrak{P}(B)$.

[Try to prove : $A \subset B$.
Observe this is same as : $A \in \mathfrak{P}(B)$.]

By (1), we have $A \in \mathfrak{P}(A)$.

Since $A \in \mathfrak{P}(A)$ and $\mathfrak{P}(A) \subset \mathfrak{P}(B)$, we have $A \in \mathfrak{P}(B)$ [by the definition of subsets].

Therefore, by definition, we have $A \subset B$. \square

Proof of (2c). The result follows from (2a), (2b) immediately. \square

Theorem (\dagger_1).

Let A, B be sets. The statements below hold:

1. $\emptyset, A \in \mathfrak{P}(A)$. Moreover, $\mathfrak{P}(A) \neq \emptyset$.
2. (a) ... (b) ... (c) $A \subset B$ iff $\mathfrak{P}(A) \subset \mathfrak{P}(B)$.
3. $\mathfrak{P}(A \cap B) = \mathfrak{P}(A) \cap \mathfrak{P}(B)$.

Proof of Statement (3) of Theorem (\dagger_1).

Let A, B be sets. [What to prove? Some set equality. So?

- [Proof of (3a). (We can make use of previously proved results.)]

Since $A \cap B \subset A$, we have $\mathfrak{P}(A \cap B) \subset \mathfrak{P}(A)$ by (2a).

Since $A \cap B \subset B$, we have $\mathfrak{P}(A \cap B) \subset \mathfrak{P}(B)$ by (2a).

Now, by Theorem (IV.1), $\mathfrak{P}(A \cap B) \subset \mathfrak{P}(A) \cap \mathfrak{P}(B)$.

- [Proof of (3b).]

Pick any object T . Suppose $T \in \mathfrak{P}(A) \cap \mathfrak{P}(B)$. [Try to deduce: $T \in \mathfrak{P}(A \cap B)$.]

We have $T \in \mathfrak{P}(A)$ and $T \in \mathfrak{P}(B)$.

Since $T \in \mathfrak{P}(A)$, we have $T \subset A$. Since $T \in \mathfrak{P}(B)$, we have $T \subset B$.

Now $T \subset A$ and $T \subset B$. Then, by Theorem (IV.1), $T \subset A \cap B$.

Then, by definition, $T \in \mathfrak{P}(A \cap B)$. It follows that $\mathfrak{P}(A) \cap \mathfrak{P}(B) \subset \mathfrak{P}(A \cap B)$ \square

$$(3a) \mathfrak{P}(A \cap B) \subset \mathfrak{P}(A) \cap \mathfrak{P}(B).$$

This is:

For any S , if $S \in \mathfrak{P}(A \cap B)$
then $S \in \mathfrak{P}(A) \cap \mathfrak{P}(B)$.

$$(3b) \mathfrak{P}(A) \cap \mathfrak{P}(B) \subset \mathfrak{P}(A \cap B).$$

This is:

For any T , if $T \in \mathfrak{P}(A) \cap \mathfrak{P}(B)$
then $T \in \mathfrak{P}(A \cap B)$.

Theorem (\dagger_1).

Let A, B be sets. The statements below hold:

1. $\emptyset, A \in \mathfrak{P}(A)$. Moreover, $\mathfrak{P}(A) \neq \emptyset$.
2. (a) ... (b) ... (c) $A \subset B$ iff $\mathfrak{P}(A) \subset \mathfrak{P}(B)$.
3. $\mathfrak{P}(A \cap B) = \mathfrak{P}(A) \cap \mathfrak{P}(B)$.
4. $\mathfrak{P}(A) \cup \mathfrak{P}(B) \subset \mathfrak{P}(A \cup B)$.

Proof of Statement (4) of Theorem (\dagger_1).

Let A, B be sets.

Since $A \subset A \cup B$, we have $\mathfrak{P}(A) \subset \mathfrak{P}(A \cup B)$ by (2a).

Since $B \subset A \cup B$, we have $\mathfrak{P}(B) \subset \mathfrak{P}(A \cup B)$ by (2a).

Then $\mathfrak{P}(A) \cup \mathfrak{P}(B) \subset \mathfrak{P}(A \cup B)$. (why?) \square

4. It is natural to ask whether Statement (\ddagger) below is true:

(\ddagger) Let A, B be sets. $\mathfrak{P}(A \cup B) = \mathfrak{P}(A) \cup \mathfrak{P}(B)$.

This is the same as asking whether Statement (\ddagger') below is true:

(\ddagger') Let A, B be sets. $\mathfrak{P}(A \cup B) \subset \mathfrak{P}(A) \cup \mathfrak{P}(B)$.

How to approach such a question? Ask Question (\diamond) :

(\diamond) What happens to the sets A, B if the conclusion ' $\mathfrak{P}(A \cup B) \subset \mathfrak{P}(A) \cup \mathfrak{P}(B)$ ' holds?


Answer for Question (\diamond) :

Note that $A \cup B \in \mathfrak{P}(A \cup B)$.

Suppose it happens that ' $\mathfrak{P}(A \cup B) \subset \mathfrak{P}(A) \cup \mathfrak{P}(B)$ ' holds.


Then $A \cup B \in \mathfrak{P}(A \cup B) \subset \mathfrak{P}(A) \cup \mathfrak{P}(B)$.

Therefore $A \cup B \in \mathfrak{P}(A)$ or $A \cup B \in \mathfrak{P}(B)$



This is same as
' $A \cup B \subset A$ '.
In fact this is same as
' $B \subset A$ '.

This is same as
' $A \cup B \subset B$ '.
In fact this is same as
' $A \subset B$ '.



This is something 'non-trivial'.

5. In fact a necessary condition for

$$\mathfrak{P}(A \cup B) \subset \mathfrak{P}(A) \cup \mathfrak{P}(B)$$


is given by ' $B \subset A$ or $A \subset B$ '.

It turns out that 'this necessary condition is also sufficient'.

Theorem (\dagger_2).

Let A, B be sets. The statements below hold:

1. Suppose $\mathfrak{P}(A \cup B) \subset \mathfrak{P}(A) \cup \mathfrak{P}(B)$. Then $(B \subset A$ or $A \subset B)$.
2. Suppose $(B \subset A$ or $A \subset B)$. Then $\mathfrak{P}(A \cup B) \subset \mathfrak{P}(A) \cup \mathfrak{P}(B)$.
3. $\mathfrak{P}(A \cup B) \subset \mathfrak{P}(A) \cup \mathfrak{P}(B)$ iff $(B \subset A$ or $A \subset B)$.



6. **Theorem** (\star). (Basic results in set language from another viewpoint.)

Let M be a set.

1. $\mathfrak{P}(M)$ is partially ordered by the subset relation.
2. $\mathfrak{P}(M)$ together with the set operations intersection, union, and complement in M constitutes a boolean algebra.
3. $\mathfrak{P}(M)$ forms an abelian group with symmetric difference in M as group operation.