

# CSCI3160: Regular Exercise Set 1

Prepared by Yufei Tao

**Problem 1.** Recall that our RAM model has an atomic operation  $\text{RANDOM}(x, y)$  which, given integers  $x, y$ , returns an integer chosen uniformly at random from  $[x, y]$ . Suppose that you are allowed to call the operation *only* with  $x = 1$  and  $y = 128$ . Describe an algorithm to obtain a uniformly random number between 1 and 100. Your algorithm must finish in  $O(1)$  expected time.

**Problem 2\*.** Suppose that we enforce an even harder constraint that you are allowed to call  $\text{RANDOM}(x, y)$  *only* with  $x = 0$  and  $y = 1$ . Describe an algorithm to generate a uniformly random number in  $[1, n]$  for an arbitrary integer  $n$ . Your algorithm must finish in  $O(\log n)$  expected time.

**Problem 3.** Consider the following algorithm to find the greatest common divisor of  $n$  and  $m$  where  $n \leq m$ :

```
algorithm GCD( $n, m$ )
  if  $n = 0$  then
    return  $m$ 
   $m = m - n$ 
  if  $n \leq m$  then return GCD( $n, m$ )
  else return GCD( $m, n$ )
```

Prove:

1. The time complexity of the algorithm is  $O(m)$ .
2. The time complexity of the algorithm is  $\Omega(m)$ .

**Problem 4.** Consider an input array  $A$  that has  $n = 120$  elements. Suppose that we choose a number  $v$  in  $A$  uniformly at random. What is the probability that the rank of  $v$  (among all the numbers in  $A$ ) fall in the range  $[35, 78]$ ?

**Problem 5\*\* (A Simpler Randomized Algorithm for  $k$ -Selection, but with a More Tedious Analysis).** In the  $k$ -selection problem, we have an array  $S$  of  $n$  distinct integers (not necessarily sorted). We would like to find the  $k$ -th smallest integer in  $S$  where  $k \in [1, n]$ . Here is another way of solving it using randomization. If  $n = 1$ , then we simply return the only element in  $S$ . For  $n > 1$ , we proceed as follows:

- Randomly pick an integer  $v$  in  $S$ , and obtain the rank  $r$  of  $v$  in  $S$ .
- If  $r = k$ , return  $v$ .
- If  $r > k$ , produce an array  $S'$  containing the integers of  $S$  that are smaller than  $v$ . Recurse by finding the  $k$ -th smallest in  $S'$ .
- Otherwise, produce an array  $S'$  containing the integers of  $S$  that are larger than  $v$ . Recurse by finding the  $(r - k)$ -th smallest in  $S'$ .

Prove that the above algorithm finishes in  $O(n)$  expected time.