

CSCI3160: Quiz 1

Name:

Student ID

Problem 1 (50%). Consider an array storing $n = 9$ integers: $A = (50, 20, 40, 60, 80, 90, 10, 30, 70)$. Recall that, in the k -selection algorithm, we randomly select a pivot p from A and recurse into a subproblem if the subproblem has size at most $2n/3$. However, we declare “failure” if the subproblem has size larger than $2n/3$. Let us set $k = 5$ (i.e., the goal of k -selection is to find the 5-th smallest element in A).

Answer the following questions:

1. If the pivot p equals 40, what is the input to the subproblem?
2. Which of the elements in A will induce failure, if they are selected as p ?
3. If p is selected from A uniformly at random, what is the probability we declare failure?

Solution.

1. (50, 60, 80, 90, 70) (ordering does not matter).
2. 10, 20, 70, 80, 90
Another acceptable solution: 10, 20, 80, 90
3. 5/9
Another acceptable solution: 4/9

Problem 2 (50%). Consider running the “counting inversion” algorithm on the array $A = (50, 20, 40, 60, 80, 10, 30, 70)$. Recall that the algorithm divides A into two equal halves at the middle, and recursively solves the subproblems corresponding to the two halves, respectively. Answer the following questions:

1. What are the outputs of the two subproblems, respectively?
2. After recursion, the algorithm will count the number of “crossing inversions”. How many crossing inversions are there in A ?
3. In the class, we used an $O(n \log n)$ -time method to count the number of crossing inversions and proved that the whole algorithm ran in $O(n \log^2 n)$ time. Assume that Mr. Goofy decides to replace our $O(n \log n)$ -time method with his own method that runs in $O(n^2)$ time. What is the worst-case time of the whole algorithm now? You need to explain the derivation of your answer.

Solution.

1. 2 and 3
2. 7
3. $f(n) = 2 \cdot f(n/2) + O(n^2)$, which solves to $f(n) = O(n^2)$ (Master Theorem).