

Classification, Decision Trees, and a Generalization Theorem

Yufei Tao

Department of Computer Science and Engineering
Chinese University of Hong Kong

In **classification**, we are given a training set containing objects of two **classes** and want to learn a **classifier** to predict the class of an object outside the training set. This course will cover several techniques to perform classification effectively. We will start with one such technique: the **decision tree** method.

Classification

Let A_1, \dots, A_d be d **attributes**.

Define the **instance space** as $\mathcal{X} = \text{dom}(A_1) \times \text{dom}(A_2) \times \dots \times \text{dom}(A_d)$ where $\text{dom}(A_i)$ represents the set of possible values on A_i .

Define the **label space** as $\mathcal{Y} = \{-1, 1\}$ (the elements in \mathcal{Y} are called the **class labels**).

Each **instance-label pair** (a.k.a. **object**) is a pair (\mathbf{x}, y) in $\mathcal{X} \times \mathcal{Y}$.

- Note that \mathbf{x} is a vector; we use $\mathbf{x}[A_i]$ to represent the vector's value on A_i ($1 \leq i \leq d$).

Denote by \mathcal{D} a probabilistic distribution over $\mathcal{X} \times \mathcal{Y}$.

Classification

Goal: Given an object (\mathbf{x}, y) drawn from \mathcal{D} , we want to predict its label y from its attribute values $\mathbf{x}[A_1], \dots, \mathbf{x}[A_d]$.

We will find a function

$$h : \mathcal{X} \rightarrow \mathcal{Y}$$

which is referred to as a **classifier** (sometimes also called a **hypothesis**). Given an instance \mathbf{x} , we predict its label as $h(\mathbf{x})$.

The error of h on \mathcal{D} — denoted as $err_{\mathcal{D}}(h)$ — is defined as:

$$err_{\mathcal{D}}(h) = \Pr_{(\mathbf{x}, y) \sim \mathcal{D}}[h(\mathbf{x}) \neq y]$$

namely, if we draw an object (\mathbf{x}, y) according to \mathcal{D} , what is the probability that h mis-predicts the label?

Classification

Ideally, we want to find an h to minimize $err_{\mathcal{D}}(h)$, but this in general is not possible without the precise information about \mathcal{D} .

Instead, we would like to learn a classifier h with small $err_{\mathcal{D}}(h)$ from a **training set** S where each object is drawn independently from \mathcal{D} .


Example: Suppose that we have the following training set:

age	education	occupation	loan default
28	high school	self-employed	yes
32	master	programmer	no
33	undergrad	lawyer	yes
37	undergrad	programmer	no
40	undergrad	self-employed	yes
45	master	self-employed	no
48	high school	programmer	no
50	master	lawyer	no
52	master	programmer	no
55	high school	self-employed	no

Now, given a new customer (50, high school, self-employed), how should we predict whether s/he would default?

The **decision tree method** represents a classifier h as a tree.

Example:



Given an instance (50, high school, self-employed), the above tree returns the class label “no” by descending a root-to-leaf path to the rightmost leaf.

Formally, a decision tree T is a binary tree where

- each leaf node carries a class label: yes or no (namely, 1 or -1);
- each internal node u has two child nodes, and carries a predicate P_u on an attribute A_u .

Given an instance x , T predicts its label as follows:

- 1 $u \leftarrow$ the root of T .
- 2 If u is a leaf, return the class label associated with u .
- 3 If u is an internal node, check whether $x[A_u]$ satisfies P_u :
 - if so, $u \leftarrow$ the left child of u ;
 - otherwise, $u \leftarrow$ the right child of u .

Our objective is to produce a good decision tree from the training set S . Next, we will describe a simple algorithm called the **Hunt's algorithm** which achieves the purpose reasonably well in practice.

Given a node u in T , define $S(u)$ as follows:

- If u is the root of T , $S(u) = S$.
- Recursively, consider now u as an internal node whose $S(u)$ has been defined. Let v_1 and v_2 be the left and right child nodes of u , respectively.
 - $S(v_1)$ is the set of objects in $S(u)$ that satisfy $P(u)$;
 - $S(v_2) = S(u) \setminus S(v_1)$.

Think: What is $S(u)$ for each node u in the decision tree on Slide 7?

Hunt's Algorithm

The algorithm builds a decision tree T in a top-down and greedy manner. At each node u , it finds the “best” way to split $S(u)$ according to a certain quality metric.

algorithm Hunt(S)

- /* S is the training set; the function returns the root of a decision tree */
1. if all the objects in S belong to the same class
 2. return a leaf node with the value of this class
 3. if all the objects in S have the same attribute values
 4. return a leaf node whose class label is the majority one in S
 5. find the “best” split attribute A^* and predicate P^* /* details next slide */
 6. $S_1 \leftarrow$ the set of objects in S satisfying P^* ; $S_2 \leftarrow S \setminus S_1$
 7. $u_1 \leftarrow$ Hunt(S_1); $u_2 \leftarrow$ Hunt(S_2)
 8. create a root u with left child u_1 and right child u_2
 9. set $A_u \leftarrow A^*$ and $P_u \leftarrow P^*$
 10. return u

Implementing Line 5 requires resolving the following issues:

- 1 What are the possible ways to perform a split?
- 2 How to evaluate the quality of a split?

We will provide a way to resolve these issues in the next few slides.

Candidate Split

A split concerns a single attribute A . We distinguish two types of A :

- **Ordinal**: there is an ordering on A .
- **Nominal**: no ordering makes sense on A .

Example: In the training set of Slide 6, age and education are ordinal attributes, whereas occupation is nominal.

Candidate Split

For an ordinal attribute A , a **candidate split** is a condition of the form $A \leq v$, where v is a value of A appearing in S such that S has at least one object satisfying the condition and at least one object that does not.

For a nominal attribute A , a **candidate split** is a condition of the form $A \in S$, where S is a subset of the values of A appearing in S such that S has at least one object satisfying the condition and at least one object that does not.

Example: In the training set of Slide 6, “age ≤ 40 ”, “education \leq undergrad”, and “occupation \in {self-employed, lawyer}” are all candidate split predicates. But “age ≤ 41 ”, “age ≤ 55 ”, “education \leq elementary”, and “occupation \in {professor, lawyer}” are not.

Quality of a Split

Next, we tackle the second issue of Slide 11 by resorting to **GINI index**. In general, let S be a set of objects whose class labels are known. Define:

$$n = |S|$$

$$n_y = \text{number of objects in } S \text{ with label } y$$

$$p_y = n_y/n$$

$$p_n = 1 - p_y$$

The GINI index of S is:

$$\text{GINI}(S) = 1 - (p_y^2 + p_n^2)$$

Quality of a Split

Example:

- If $p_y = 1$ and $p_n = 0$ (i.e., **maximum purity**), then $GINI(R) = 0$.
- If $p_y = 0.75$ and $p_n = 0.25$, then $GINI(R) = 0.375$.
- If $p_y = 0.5$ and $p_n = 0.5$ (i.e., **maximum impurity**), then $GINI(R) = 0.5$.

It is rudimentary to verify:

Lemma: $GINI(R)$ ranges from 0 to 0.5. It increases as $|p_y - p_n|$ decreases.

Quality of a Split

We are ready to resolve the second issue on Slide 11. Suppose that S has been split into S_1 and S_2 . We define the **GINI index of the split** as

$$GINI_{split} = \frac{|S_1|}{|S|} GINI(S_1) + \frac{|S_2|}{|S|} GINI(S_2).$$

The **smaller** $GINI_{split}$ is, the **better** the split quality.

At this point, we have completed the description of Hunt's algorithm on Slide 10. An important issue has been left out: **overfitting**, i.e., although a tree may fit the training set well, its error on the distribution \mathcal{D} is actually rather bad.

Next, we will discuss understand what causes overfitting and then fix the issue by modifying the algorithm slightly.

Let \mathcal{P} be the set of people in the world. Given a random person, we want to predict whether s/he will commit a crime in her/his life.

Suppose that there are no attributes (i.e., $\mathcal{X} = \emptyset$). Given a training set $S \subseteq \mathcal{P}$, Hunt's algorithm returns a decision tree T that has only a single node (i.e., a leaf). Let c be the label at that leaf; note that T predicts the label of every person in \mathcal{P} as c .

Which value of c is ideal for \mathcal{P} ? This depends on how many people in \mathcal{P} belong to the yes class. Specifically, let

$$\pi_y = \frac{\text{number of "yes" people in } \mathcal{P}}{|\mathcal{P}|}$$
$$\pi_n = \frac{\text{number of "no" people in } \mathcal{P}}{|\mathcal{P}|}$$

The optimal choice is to set c to yes if $\pi_y > \pi_n$, or to no otherwise.

Example: Suppose $\pi_y = 0.7$ and $\pi_n = 0.3$. If $c = \text{yes}$, we err with probability 0.3; if $c = \text{no}$, we err with probability 0.7.

However, π_y and π_n are unknown.

We rely on S to infer the relationship between π_y and π_n . If S has more yes objects, we “believe” $\pi_y > \pi_n$ and, hence, set c to yes; otherwise, we set c to no. This is precisely what Hunt’s algorithm does.

To increase the confidence of our belief, we need S to be **sufficiently large**.

Without enough training data, you should not hope to build a reliable decision tree (lack of statistical significance).

As Hunt's algorithm builds a decision tree T , the $|S(u)|$ of the current node u continuously decreases as we go deeper. When $|S(u)|$ becomes too small, statistical significance is lost such that the subtree of u becomes unreliable: even though the subtree may fit the training set well, it does not accurately predict the label of an unknown object falling into the subtree. Therefore, **overfitting** occurs.

Hunt's Algorithm (Modified)

We now add a heuristic to the algorithm to alleviate overfitting.

algorithm Hunt(S)

/* S is the training set; the function returns the root of a decision tree */

1. if all the objects in S belong to the same class
2. return a leaf node with the value of this class
3. if (all the objects in S have the same attribute values)
 or ($|S|$ is too small)
4. return a leaf node whose class value is the majority one in S
5. find the “best” split attribute A^* and predicate P^*
6. $S_1 \leftarrow$ the set of objects in R satisfying P^* ; $S_2 \leftarrow S \setminus S_1$
7. $u_1 \leftarrow$ Hunt(R_1); $u_2 \leftarrow$ Hunt(R_2)
8. create a root u with left child u_1 and right child u_2
9. set $A_u \leftarrow A^*$ and $P_u \leftarrow P^*$
10. return u

Next, we will provide a theoretical explanation about overfitting.

Given a classifier h , define its **error on S** — denote as $err_S(h)$ — to be:

$$err_S(h) = \frac{|\{(x, y) \in S \mid h(x) \neq y\}|}{|S|}.$$

namely, the percentage of objects in S whose labels are incorrectly predicted by h .

Remark:

- $err_S(h)$ is often called the **empirical error** of h .
- $err_{\mathcal{D}}(h)$ is often called the **generalization error** of h .

Generalization Theorem

Theorem: Let \mathcal{H} be the set of classifiers that can possibly be returned. The following statement holds with probability at least $1 - \delta$ (where $0 < \delta \leq 1$): for any $h \in \mathcal{H}$:

$$\text{err}_{\mathcal{D}}(h) \leq \text{err}_S(h) + \sqrt{\frac{\ln(1/\delta) + \ln |H|}{2|S|}}.$$

Implications: we should

- look for a decision tree that is both accurate on the training set and small in size;
- increase the size of S as much as possible.

To prove the generalization theorem, we need:

Theorem (Hoeffding Bounds): Let X_1, \dots, X_n be independent Bernoulli random variables satisfying $\Pr[X_i = 1] = p$ for all $i \in [1, n]$. Set $s = \sum_{i=1}^n X_i$. Then, for any $0 \leq \alpha \leq 1$:

$$\Pr[s/n > p + \alpha] \leq e^{-2n\alpha^2}$$

$$\Pr[s/n < p - \alpha] \leq e^{-2n\alpha^2}.$$

The proof of the theorem is not required in this course.

We will also need:

Lemma (Union Bound): Let E_1, \dots, E_n be n arbitrary events such that event E_i happens with probability p_i . Then,

$$\Pr[\text{at least one of } E_1, \dots, E_n \text{ happens}] \leq \sum_{i=1}^n p_i.$$

The proof is rudimentary and left to you.

Proof of the Generalization Theorem

Fix any classifier $h \in \mathcal{H}$.

Let S be the training set; set $n = |S|$. For each $i \in [1, n]$, define $X_i = 1$ if the i -th object in S is incorrectly predicted by h , or 0 otherwise. Hence:

$$\text{err}_S(h) = \frac{1}{n} \sum_{i=1}^n X_i.$$

Proof of the Generalization Theorem

Since each object in S is drawn from \mathcal{D} independently, for every $i \in [1, n]$:

$$\Pr[X_i = 1] = \text{err}_{\mathcal{D}}(h).$$

By the Hoeffding bounds, we have:

$$\Pr[\text{err}_S(h) < \text{err}_{\mathcal{D}}(h) - \alpha] \leq e^{-2n\alpha^2}$$

which is at most $\delta/|\mathcal{H}|$ by setting $e^{-2n\alpha^2} = \delta/|\mathcal{H}|$, namely

$$\alpha = \sqrt{\frac{\ln(1/\delta) + \ln |\mathcal{H}|}{2n}}.$$

We say that h **fails** if $\text{err}_S(h) < \text{err}_{\mathcal{D}}(h) - \alpha$.

Proof of the Generalization Theorem

The above analysis shows that each classifier in \mathcal{H} fails with probability at most $\delta/|\mathcal{H}|$. By the Union Bound, the probability that **at least** one classifier in \mathcal{H} fails is at most δ . Hence, the probability that **no** classifiers fail is at least $1 - \delta$. \square

Our proof did not use any properties from decision trees. Indeed, the generalization theorem holds for any type of classifiers.