

Undecidability and Reductions

CSCI 3130 Formal Languages and Automata Theory

Siu On CHAN

Fall 2019

Chinese University of Hong Kong

$A_{TM} = \{\langle M, w \rangle \mid \text{Turing machine } M \text{ accepts input } w\}$

Turing's Theorem


The language A_{TM} is undecidable

Note: a Turing machine M may take as input **its own description** $\langle M \rangle$

Proof of Turing's Theorem

Proof by contradiction:


Suppose A_{TM} is decidable, then some TM H decides A_{TM} :



Proof of Turing's Theorem

Proof by contradiction:

Suppose A_{TM} is decidable, then some TM H decides A_{TM} :




Construct a new TM D (that uses H as a subroutine):


On input $\langle M \rangle$ (i.e. the description of a Turing machine M),

1. Run H on input $\langle M, \langle M \rangle \rangle$
2. Output the opposite of H : If H accepts, D rejects; if H rejects, D accepts


Proof of Turing's theorem




What happens when $M = D$?



Proof of Turing's theorem



What happens when $M = D$?



H never loops indefinitely, neither does D

If D rejects $\langle D \rangle$, then D accepts $\langle D \rangle$

If D accepts $\langle D \rangle$, then D rejects $\langle D \rangle$

Contradiction! D cannot exist! H cannot exist!

Proof of Turing's theorem: conclusion

Proof by contradiction

Assume A_{TM} is decidable

Then there are TM H , H' and D

But D cannot exist!

Conclusion

The language A_{TM} is undecidable

Diagonalization

		all possible inputs w				
		ϵ	0	1	00	...
all possible Turing machines	M_1	acc	rej	rej	acc	
	M_2	rej	acc	loop	rej	...
	M_3	rej	loop	rej	rej	
	M_4	acc	rej	acc	loop	
			\vdots			

Write an infinite table for the pairs (M, w)

(Entries in this table are all made up for illustration)

Diagonalization

		inputs w				
		$\langle M_1 \rangle$	$\langle M_2 \rangle$	$\langle M_3 \rangle$	$\langle M_4 \rangle$...
all possible Turing machines	M_1	acc	loop	rej	rej	
	M_2	rej	rej	acc	rej	...
	M_3	loop	acc	acc	acc	
	M_4	acc	acc	loop	acc	
			\vdots			

Only look at those w that describe Turing machines

Diagonalization

		inputs w				
		$\langle M_1 \rangle$	$\langle M_2 \rangle$	$\langle M_3 \rangle$	$\langle M_4 \rangle$...
all possible Turing machines	M_1	acc	loop	rej	rej	
	M_2	rej	rej	acc	rej	...
	M_3	loop	acc	acc	acc	
	\vdots		\vdots			
	D	rej	acc	rej	rej	
	\vdots		\vdots			


If A_{TM} is decidable, then TM D is in the table

Diagonalization

		inputs w				
		$\langle M_1 \rangle$	$\langle M_2 \rangle$	$\langle M_3 \rangle$	$\langle M_4 \rangle$...
all possible Turing machines	M_1	acc	loop	rej	rej	
	M_2	rej	rej	acc	rej	...
	M_3	loop	acc	acc	acc	
	\vdots		\vdots			
	D	rej	acc	rej	rej	
	\vdots		\vdots			

D does the opposite of the diagonal entries

D on $\langle M_i \rangle =$ opposite of M_i on $\langle M_i \rangle$



Diagonalization

		inputs w					
		$\langle M_1 \rangle$	$\langle M_2 \rangle$	$\langle M_3 \rangle$	$\langle M_4 \rangle$...	$\langle D \rangle$
all possible Turing machines	M_1	acc	loop	rej	rej		loop
	M_2	rej	rej	acc	rej	...	acc
	M_3	loop	acc	acc	acc		rej
	\vdots		\vdots				
	D	rej	acc	rej	rej		?
	\vdots		\vdots				

We run into trouble when we look at $(D, \langle D \rangle)$

Unrecognizable languages

The language A_{TM} is recognizable but not decidable

How about languages that are **not recognizable**?

$$\begin{aligned}\overline{A_{TM}} &= \{\langle M, w \rangle \mid M \text{ is a TM that does not accept } w\} \\ &= \{\langle M, w \rangle \mid M \text{ rejects or loops on input } w\}\end{aligned}$$

Claim

The language $\overline{A_{TM}}$ is not recognizable

Theorem

If L and \bar{L} are both recognizable, then L is decidable

Proof of Claim from Theorem:

We know A_{TM} is recognizable

if $\overline{A_{TM}}$ were also, then A_{TM} would be decidable

But Turing's Theorem says A_{TM} is not decidable

Unrecognizable languages

Theorem

If L and \bar{L} are both recognizable, then L is decidable

Proof idea:

Let $M =$ TM recognizing L , $M' =$ TM recognizing \bar{L}

The following Turing machine N decides L :

On input w ,

1. Simulate M on input w . If M accepts, N accepts.
2. Simulate M' on input w . If M' accepts, N rejects.

Unrecognizable languages

Theorem

If L and \bar{L} are both recognizable, then L is decidable

Proof idea:

Let $M =$ TM recognizing L , $M' =$ TM recognizing \bar{L}

The following Turing machine N decides L :

On input w ,

1. Simulate M on input w . If M accepts, N accepts.
2. Simulate M' on input w . If M' accepts, N rejects.

Problem: If M loops on w , we will never go to step 2

Unrecognizable languages

Theorem

If L and \bar{L} are both recognizable, then L is decidable

Proof idea (2nd attempt):

Let $M = \text{TM recognizing } L$, $M' = \text{TM recognizing } \bar{L}$

The following Turing machine N decides L :

On input w ,

For $t = 0, 1, 2, 3, \dots$

Simulate first t transitions of M on input w .

If M accepts, N accepts.

Simulate first t transitions of M' on input w .

If M' accepts, N rejects.

Reductions

Reductions

Suppose you have a program R that solves problem A

Now you want to solve problem B , if you can reduce B to A

Then you can solve problem B

Using R as a subroutine

Example from Lecture 16

$A_{\text{DFA}} = \{\langle D, w \rangle \mid D \text{ is a DFA that accepts input } w\}$

$A_{\text{NFA}} = \{\langle N, w \rangle \mid N \text{ is an NFA that accepts input } w\}$

A_{NFA} reduces to A_{DFA} (by converting NFA into DFA)

Reductions in this course

If language A is decidable, and language B reduces to language A
then B is also decidable

If language B reduces to language A , and B is undecidable
then A is also undecidable

Another undecidable language

$\text{HALT}_{\text{TM}} = \{\langle M, w \rangle \mid M \text{ is a TM that halts on input } w\}$

We'll show:

HALT_{TM} is an undecidable language

We will argue that


If HALT_{TM} is decidable, then so is A_{TM}

...but by Turing's theorem, A_{TM} is not


Undecidability of halting

If HALT_{TM} can be decided, so can A_{TM}

Suppose H decides HALT_{TM}



We want to construct a TM S that decides A_{TM}



Undecidability of halting

$\text{HALT}_{\text{TM}} = \{\langle M, w \rangle \mid M \text{ is a TM that halts on input } w\}$

$A_{\text{TM}} = \{\langle M, w \rangle \mid M \text{ is a TM that accepts input } w\}$

Suppose HALT_{TM} is decidable

Let H be a TM that decides HALT_{TM}

The following TM S decides A_{TM}

On input $\langle M, w \rangle$:

Run H on input $\langle M, w \rangle$

If H rejects, reject

If H accepts, run universal TM U on input $\langle M, w \rangle$

If U accepts, accept; else reject

Steps for showing that a language L is undecidable:

1. If some TM R decides L
2. Using R , build another TM S that decides A_{TM}

But A_{TM} is undecidable, so R cannot exist

Example 1

$$A'_{\text{TM}} = \{\langle M \rangle \mid M \text{ is a TM that accepts input } \varepsilon\}$$

Is A'_{TM} decidable? Why?

Example 1

$$A'_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts input } \varepsilon\}$$

Is A'_{TM} decidable? Why?

Undecidable!

Intuitive reason:

To know whether M accepts ε seems to require **simulating** M

But then we need to know whether M halts


Let's justify this intuition

Example 1: Figuring out the reduction

Suppose A'_{TM} can be decided by a TM R



We want to build a TM S



M' should be a Turing machine such that
outcome of M' on input $\varepsilon =$ outcome of M on input w

Example 1: Implementing the reduction




M' should be a Turing machine such that

M' on input $\varepsilon = M$ on input w

Description of the machine M' :

On input z

1. Simulate M on input w
2. If M accepts w , accept
3. If M rejects w , reject



Description of S :

On input $\langle M, w \rangle$ where M is a TM

1. Construct the following TM M' :

M' = a TM such that on input z ,

Simulate M on input w and accept/reject according to M

2. Run R on input $\langle M' \rangle$ and accept/reject according to R

Example 1: The formal proof

$$A'_{\text{TM}} = \{\langle M \rangle \mid M \text{ is a TM that accepts input } \varepsilon\}$$

$$A_{\text{TM}} = \{\langle M, w \rangle \mid M \text{ is a TM that accepts input } w\}$$

Suppose A'_{TM} is decidable by a TM R .

Consider the TM S : On input $\langle M, w \rangle$ where M is a TM

1. Construct the following TM M' :

M' = a TM such that on input z ,

Simulate M on input w and accept/reject according to M

2. Run R on input $\langle M' \rangle$ and accept/reject according to R

Then S accepts $\langle M, w \rangle$ if and only if M accepts w

So S decides A_{TM} , which is impossible

Example 2

$A''_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts some input strings}\}$

Is A''_{TM} decidable? Why?

Example 2

$A''_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts some input strings}\}$

Is A''_{TM} decidable? Why?

Undecidable!

Intuitive reason:


To know whether M accepts some strings seems to require
simulating M

But then we need to know whether M halts


Let's justify this intuition

Example 2: Figuring out the reduction

Suppose A''_{TM} can be decided by a TM R



We want to build a TM S



M' should be a Turing machine such that

M' accepts some strings if and only if M accepts input w

Implementing the reduction

Task: Given $\langle M, w \rangle$, construct M' so that

If M accepts w , then M' accepts some input

If M does not accept w , then M' accepts no inputs

M' = a TM such that on input z ,

1. Simulate M on input w
2. If M accepts, accept
3. Otherwise, reject

Example 2: The formal proof

$$A''_{\text{TM}} = \{\langle M \rangle \mid M \text{ is a TM that accepts some input}\}$$

$$A_{\text{TM}} = \{\langle M, w \rangle \mid M \text{ is a TM that accepts input } w\}$$

Suppose A''_{TM} is decidable by a TM R .

Consider the TM S : On input $\langle M, w \rangle$ where M is a TM

1. Construct the following TM M' :

M' = a TM such that on input z ,

Simulate M on input w and accept/reject according to M

2. Run R on input $\langle M' \rangle$ and accept/reject according to R

Then S accepts $\langle M, w \rangle$ if and only if M accepts w

So S decides A_{TM} , which is impossible

Example 3

$E_{\text{TM}} = \{\langle M \rangle \mid M \text{ is a TM that accepts no input}\}$

Is E_{TM} decidable?

Example 3

$E_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts no input}\}$

Is E_{TM} decidable?

Undecidable! We will show:

If E_{TM} can be decided by some TM R

Then A''_{TM} can be decided by another TM S

$A''_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts some input strings}\}$

Example 3

$E_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts no input}\}$

$A''_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts some input}\}$

Note that E_{TM} and A''_{TM} are complement of each other
(except ill-formatted strings, which we will ignore)

Suppose E_{TM} can be decided by some TM R

Consider the following TM S :

On input $\langle M \rangle$ where M is a TM

1. Run R on input $\langle M \rangle$
2. If R accepts, **reject**
3. If R rejects, **accept**

Then S decides A''_{TM} , a contradiction

Example 4

$EQ_{TM} = \{\langle M_1, M_2 \rangle \mid M_1 \text{ and } M_2 \text{ are TMs such that } L(M_1) = L(M_2)\}$

Is EQ_{TM} decidable?

Example 4

$EQ_{TM} = \{\langle M_1, M_2 \rangle \mid M_1 \text{ and } M_2 \text{ are TMs such that } L(M_1) = L(M_2)\}$

Is EQ_{TM} decidable?

Undecidable!

We will show that EQ_{TM} can be decided by some TM R

then E_{TM} can be decided by another TM S

Example 4: Setting up the reduction

$$EQ_{TM} = \{\langle M_1, M_2 \rangle \mid M_1 \text{ and } M_2 \text{ are TMs such that } L(M_1) = L(M_2)\}$$

$$E_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts no input}\}$$

Given $\langle M \rangle$, we need to construct $\langle M_1, M_2 \rangle$ so that

If M accepts no input, then M_1 and M_2 accept same set of inputs

If M accepts some input, then M_1 and M_2 do not accept same set of inputs

Idea: Make $M_1 = M$

Make M_2 accept nothing

Example 4: The formal proof

$$EQ_{TM} = \{\langle M_1, M_2 \rangle \mid M_1 \text{ and } M_2 \text{ are TMs such that } L(M_1) = L(M_2)\}$$

$$E_{TM} = \{\langle M \rangle \mid M \text{ is a TM that accepts no input}\}$$

Suppose EQ_{TM} is decidable and R decides it

Consider the following TM S :

On input $\langle M \rangle$ where M is a TM

1. Construct a TM M_2 that rejects every input z
2. Run R on input $\langle M, M_2 \rangle$ and accept/reject according to R

Then S accepts $\langle M \rangle$ if and only if M accepts no input

So S decides E_{TM} which is impossible