

# Equivalence of DFA and Regular Expressions

CSCI 3130 Formal Languages and Automata Theory

---

Siu On CHAN


Fall 2022

Chinese University of Hong Kong


# Three ways of doing it

$$L = \{x \in \Sigma^* \mid x \text{ ends in } 01\}$$

$$\Sigma = \{0, 1\}$$



DFA




NFA

$$(0 + 1)^*01$$

regular  
expressions

# They are equally powerful




## Examples: regular expression $\rightarrow$ NFA




# Examples: regular expression $\rightarrow$ NFA

$$R_3 = 0+01$$



$$R_4 = (0+01)^*$$




# Regular expressions

In general, how do we convert a regular expression to an NFA?

A **regular expression** over  $\Sigma$  is an expression formed by the following rules

- The symbols  $\emptyset$  and  $\epsilon$  are regular expressions
- Every symbol in  $\Sigma$  is a regular expression
  - If  $\Sigma = \{0, 1\}$ , then **0** and **1** are both regular expressions
- If  $R$  and  $S$  are regular expressions, so are  $R + S$ ,  $RS$  and  $R^*$

# General method when $\Sigma = \{0, 1\}$




# General method: induction step

regex  $\implies$


NFA

---


$RS$



$R + S$




$R^*$






# Roadmap



# Simplify the NFA

First we simplify the NFA so that


- It has **exactly one** accepting state
- No arrows come into the start state
- No arrows go out of the accepting state




# Simplify the NFA

First we simplify the NFA so that


- It has **exactly one** accepting state
- No arrows come into the start state
- No arrows go out of the accepting state



# Simplify the NFA




# Simplify the NFA




- It has **exactly one** accepting state ✓
- No arrows come into the start state ✓
- No arrows go out of the accepting state ✓

# Generalized NFAs

A **generalized NFA** is an NFA whose transitions are labeled by **regular expressions**, like




# GNFA state elimination



We will **eliminate** every state but the start and accepting states


# State elimination






## State elimination: general method

To **eliminate** state  $q$ , for every pair of states  $(u, v)$  such that  $u \rightarrow q \rightarrow v$




Remember to do this **even when**  $u = v$

# Roadmap




A 2-state GNFA is the same as a regular expression  $R$

## Conversion example




After eliminating  $q_1$ :


# Conversion example




After eliminating  $q_1$ :



After eliminating  $q_2$ :




# Conversion example




$00^*1 + 1$


After eliminating  $q_1$ :




After eliminating  $q_2$ :



Check:




# Check your answer!



All strings ending in 1  
 $(0 + 1)^* 1$

## Check your answer!



All strings ending in 1  
 $(0 + 1)^*1$

$$0^*1(00^*1 + 1)^*$$

$$= 0^*1(0^*1)^*$$

Always ends in 1

Does every string ending in 1  
have this form?

Yes